



CIVIL REGISTRATION SYSTEM IN NAGALAND ANNUAL REPORT 2022



**GOVERNMENT OF NAGALAND
DIRECTORATE OF ECONOMICS & STATISTICS
NAGALAND : KOHIMA**



CIVIL REGISTRATION SYSTEM IN NAGALAND ANNUAL REPORT 2022



Published by:
GOVERNMENT OF NAGALAND
DIRECTORATE OF ECONOMICS AND STATISTICS
NAGALAND : KOHIMA

PREFACE

Births and Deaths are the two most important vital events that define life of an individual. Not only do they describe the legal existence of an individual, registrations of these events are a primary source of vital data of the population to which they belong. Civil registration is a continuous, permanent, compulsory recording of the occurrence and characteristics of vital events, like births, deaths, and still births. The vital statistics are invaluable for planning, monitoring and evaluating various programmes related to primary health care, family planning, maternal and child health, gender.etc. Information collected through registration process about vital events provides useful and important statistics.

Registration of Births and Deaths Act, 1969 envisage uniform procedure for registration of vital events through-out the country. Section 4(4) and 19(2) of the Act lays down that the Chief Registrar of Births and Deaths in the state has to prepare an annual report on the implementation of the Act and submit the same to both Union and State Governments.

This issue of the Report on Civil Registration System for the year 2022 provides an overview of the working of the Civil Registration System (CRS) in the state and presents a compilation of data on registered births, deaths, infant deaths and still births with rural-urban & sex-wise break-up and sex ratio at birth based on Civil Registration Records. The Statistical tables in this Annual Report 2022 are in accordance with the model tables defined in the RBD rules, 1999 and are in accordance with the Office of Registrar General of India (ORGI), Government of India.

I am hopeful that more dynamic implementation of the provisions the RBD Act-1969 shall help reduce the time gap and establish this as a reliable source of information on the Birth and Death registration in the state, which will facilitate the need of data users and planners of the health related programmes.

I would like to place on record my appreciation for the efforts and co-operation extended by the Registering functionaries and all the stakeholders at various levels for collation of the Report.

Suggestions are gladly welcome for the improvement of this report.

Place: Kohima
Date: 25/11/2023


(NEIDILHOU ANGAMI)
Director

CONTENTS

		<i>Page No.</i>
1	Report on the working of registration of births & deaths Act 1969 for the year 2022	1
2	Concepts and Methodology of Calculating Vital Indicators	10
3	List of Tables	12
4	Vital Statistics by District	14
	4.1 Rural areas	
	4.2 Urban areas	
5	Number of Births, Deaths and Infant Deaths by Sex, Maternal Deaths and Still Birth Registered	16
6	Number of Births, Deaths and Infant Deaths by Sex, Maternal Deaths and Still Birth Registered (Combined)	18
7	Vital Rate by Districts	19
8	Vital Statistics for towns with population 30,000 and above	20
9	Number of Live Births by type Attention at Delivery	21
10	Number of Deaths by types of Medical Attention received	22
11	Number of Deaths by Age and Sex	23
12	Deaths by Causes, Age and Sex Medically Certified for 19 Major Causes	24
13	Vital Statistics by Religion	67
14	Vital Statistics by Months and Sex	68
15	Live Births Order and Age of Mother:	69
	15.1 Rural areas	
	15.2 Urban areas	
16	Live Births by Order and Literacy of Mother:	71
	16.1 Rural areas	
	16.2 Urban areas	
17	Live Births by Order and Literacy of Father:	73
	17.1 Rural areas	
	17.2 Urban areas	
18	Live Births by Births Order and Occupation of Father:	75
	18.1 Rural areas	
	18.2 Urban areas	
19	Live Births by Birth Order and Father's Religion:	77
	19.1 Rural areas	
	19.2 Urban areas	
20	Deaths by Occupation and Sex:	79
21	Infants Deaths by Age	80
22	Maternal Deaths by Age	80
23	Time gap in Registration of Live Births and Deaths.	81

Overview of Civil Registration System (CRS)

- Registration of birth is a right of every child and is the first step towards establishing her/his legal identity.
- It is compulsory to report births and deaths to the Registrar of Births and Deaths under the Registration of Births and Deaths Act, 1969 (Act No. 18 of 1969).
- Births and deaths are registered only at the place of their occurrence.
- Head of the household is responsible to report births and deaths that occurred in the house to the Registrar of Births and Deaths of the concerned area.
- It is the responsibility of the officer in charge or any person authorized by her/him to report the births and deaths that occur in hospitals, nursing homes, health centres etc. to the Registrar of Births and Deaths of the concerned area.
- Births and deaths are reported in the prescribed forms - Form 1 for live birth; Form 2 for death and Form 3 for still birth.
- Midwife or any other medical or health attendant who has attended or was present the birth or death are duty bound to notify the concerned Registrar about the occurrence of the event
- Keeper or the owner of a place set apart for the disposal of the dead bodies or any person required by a local authority to be present at such place are required to notify the concerned Registrar about the occurrence of the death.
- The Registrar(s) of Births and Deaths have the power under Section 21 of the Act to obtain information regarding birth or death from any person to furnish any information within her/his knowledge.
- Births and deaths are to be reported within 21 days of occurrence of the event.
- The birth/death certificate are issued free of charge by the concerned Registrar for events reported within 21 days.
- The birth/death reported after 21 days but within 30 days can be registered on payment of the prescribed fee.
- The birth/death reported after 30 days but within one year of its occurrence can be registered with the written permission of the prescribed authority and on production of an affidavit made before a notary public or any other officer authorized by the State Government and on payment of the fee as prescribed.

- Births and deaths reported after one year of its occurrence shall be registered only on an order of the Magistrate of the First Class after verifying the correctness and on payment of the prescribed fee.
- A birth can be registered without the name of the child.
- Name of the child can be entered in the birth certificate within 12 months without any fee and after one year but within 15 years of registration on payment of prescribed fee and by approaching the concerned Registrar.
- Error(s), if any, in the particulars of birth or death records can be corrected as per the prescribed procedure under Section 15 of the Act.
- Any entry in the birth or death records made fraudulently or improperly, can be cancelled by the concerned Registrar.
- Under Section 17 of the RBD Act, 1969, any person can cause a search in the birth or death registers for any entry and obtain a certified extract. Such extracts shall be admissible as evidence of birth or death to which the entry relates.
- All Registrars are required to send a monthly return to the concerned Additional District Registrar/District Registrar or Chief Registrar.
- The birth of an Indian Citizen, occurred outside the country, can also be registered in India within sixty days of return of the parents at the place where they intend to settle. After this period, it could be registered under delayed registration provisions of the Act.
- There is no provision to register death of an Indian Citizen that has occurred outside the country.
- Non-reporting of births and deaths, giving false information for inclusion in the register, refusing to put signature in the reporting form/register and non-registration of events reported to the Registrar is a punishable offence under the Act.
- Under the RBD Act, 1969, Registrars and Sub-Registrars are public servants.
- Registration of births and deaths made prior to implementation of the RBD Act, 1969 is deemed to have been done under the same Act.
- On adoption of a child, the name of the adoptive parents and a new name for the child can be entered in the birth register.

EXECUTIVE SUMMARY

- Civil Registration System (CRS) in India is the unified process of continuous, permanent, compulsory and universal recording of the vital events (births, deaths, stillbirths) and characteristics thereof.
- The Registration of Births and Deaths Act, 1969 (Act No. 18 of 1969) provides for the compulsory registration of births and deaths. Civil Registration records are the best source of Vital Statistics.
- For the individual, records emanating from CRS provide her/his legal identity and access to the rights of a citizen including entitlements (social benefits provided by the Government).
- For the country, the requirement of a complete CRS system is a must as it has important administrative and statistical uses.
- The data generated through a complete and up to date CRS is essential for socio-economic planning and to evaluate the effectiveness of various social sector programs. They also serve as the cornerstone of the public health system.
- The Annual Report on Vital Statistics of Nagaland based on Civil Registration System for 2022 has been brought out on the basis of reports provided by the Registrars of Births and Deaths of respective districts.

The main features of the Annual Report are summarized as below:

Birth Registration:

- Out of the total 80813 births registered in the state during 2022, 50.48% are male and 49.52 % are female.
- The Birth Rate for the registered events in the state was 3.14 per thousand live births for 2022.
- The highest Birth Rate was reported in Tuensang District (4.33 per thousand live births)
- Regarding the time gap in registration of live births within the state, a total of 6532 births were registered within the time frame of one year, of which 26.16 percent were registered within time limit of 21 days.

Death Registration:

- Out of the total 3820 deaths registered in the state during 2022, 71.75% are male and 28.25 % are female.
- The Death Rate for registered events was 1.19 per thousand deaths for 2022.
- The highest Death Rate was reported in Dimapur District with 3.22 per thousand deaths.
- No maternal deaths were reported during the year 2022.
- The Infant Mortality Rate for 2022 was 0.46.

Still Births:

- No still births were registered during the year 2022.

1. ANNUAL REPORT ON THE WORKING OF REGISTRATION OF BIRTHS & DEATHS ACT 1969 FOR THE YEAR 2022

Registration of Births & Deaths in Nagaland is implemented as per the Nagaland Registration of Births & Deaths (Amendment) Rules, 1999. These Rules were framed and amended based on the Registration of Births & Deaths Act, 1969. This report covers details of the registration procedures, difficulties experienced, shortfalls and efforts made for the improvement of the registration system in the State. The data included in the report are based on the registered events provided by the Registrars of Births & Deaths in Nagaland

1.1 BRIEF DESCRIPTION OF THE STATE, ITS BOUNDARIES AND REVENUE DISTRICTS

Nagaland is a landlocked state of India, lying in the hills and mountains of the northeastern part of the country. The state lies between 25°60 and 27°40 latitude North of Equator and between the longitudinal lines 93°20E and 95°15E. Nagaland is bounded by the Indian states of Arunachal Pradesh to the northeast, Manipur to the south, and Assam to the west and northwest, and the country of Myanmar (Burma) to the east. The state capital is Kohima, located in the southern part of Nagaland.

1.2 AREA AND ADMINISTRATIVE DIVISIONS

The state of Nagaland was formally inaugurated on 1st December 1963, as the 16th state of the Indian union. The State consists of 16 (Sixteen) Administrative Districts, inhabited by 17 major tribes along with other sub-tribes.

The State, at present comprises of 16 (Sixteen) districts headed by a Deputy Commissioner, 106 (one hundred six) Sub-Divisions/Circles. These Sub-Divisions/Circles are headed by Additional Deputy Commissioners, Sub-Divisional Officers (Civil) and Extra Assistant Commissioners (E.A.C). There are seventy four (74) Rural Development Blocks headed by a Block Development Officer. There are seven (7) Census towns. The State Capital Kohima is situated at an altitude of 1,444 metres. Dimapur city is the main commercial hub which is linked by Rail Road and Air.

As per the Survey on Number of Villages in Nagaland 2021, Nagaland has a total of 1355 villages and 1(one) uninhabited village (Ghelhang village in Peren District) as on 1st March 2021. Out of the total, 1280 villages are recognized by the Government of Nagaland and 75 villages are unrecognized. In addition to the 1355 villages, Nagaland has a total of 111 hamlets {*a settlement with less than 30 households if it fails to qualify the definition given by the Nagaland Village Councils Act 1978: clause 3(a) and (b)*}.

Other general information of the State as per 2011 Census of India is as under:

1.	Population	1978502
2.	i. Males	1024649
	ii. Females	953853
	iii. Urban Population	570966
	iv. Rural Population	1407536
3.	Growth rate	-0.58
4.	Sex- ratio (female per 1000 males)	931
5.	Literate population	1342434
6.	Percentage of literacy	79.6
7.	Density of population (per sq. Km)	119
8.	Number of villages (inhabited)	1400 as per 2011 Census
9.	Official languages	English
10.	Highest Peak	Mount Saramati (3840 metres)
11.	Tribes:	Angami, Ao, Chakesang, Chang, Khiamniungan, Kuki, Konyak, Kachari, Lotha, Phom, Pochury, Rengma, Sumi, Sangtam, Yimchungrü, Zeliang and Tikhir (recognized on 20th January 2022)

**excluding Tseminyu, Chumoukedima, Niuland and Shamator districts created thereafter.*

1.3 ADMINISTRATIVE SET UP OF THE REGISTRATION MACHINERY AT VARIOUS LEVELS

The revamped Model Registration of Births & Deaths Rules, 1999 introduced by the Government of India was adopted in the State which was notified through the Gazette Notification dated 30-9-2000 and thereby introduced the "Nagaland Registration of Births & Deaths (Amendment) Rules 1999 replacing the State RBD Rules 1972.

The Directorate of Economics & Statistics has been functioning as the Nodal department for implementation of the Registration of Births & Deaths scheme in the State since 1974.

The Registration hierarchy in the State at various levels as under:

A. STATE LEVEL:

- | | | | |
|----|--|---|---|
| 1. | Chief Registrar of Births & Deaths | - | Commissioner & Secretary,
Economics & Statistics |
| 2. | Addl. Chief Registrar of Births & Deaths | - | Director of Economics & Statistics |
| 3. | Joint Registrar of Births & Deaths | - | Additional Director, Economics & Statistics |
| 4. | Deputy Registrar of Births & Deaths | - | Deputy Director of Economics & Statistics. |

B. DISTRICT LEVEL

1. District Chief Registrar of Births & Deaths - Deputy Commissioner concerned
2. District Registrar of Births & Deaths - District Statistical Officer concerned
3. Circle Registrar of Births & Deaths - Concerned SDEO of the Jurisdiction

C. LOCAL LEVEL

1. Registrar of Births & Deaths in Rural areas - Head Teacher of Govt. Primary School (Concerned)
2. Registrar of Births & Deaths in Urban areas - Inspector of Statistics/ Field Investigator
3. Military/Para Military areas - Organizational Officer
4. Medical Institutions (Govt./Private) - Inspector of & Statistics/ Field Investigator
 - i) District Hospitals - Nursing Superintendent
 - ii) Community Health Centre - Nursing in-charge
 - iii) Primary Health Centres - Nursing in-charge

(Vide Notification No. HFW-28/B/8/2011 Dt. 12 August 2014)

1.4 REGISTRATION CENTRES

There are 1468 registration centers functioning in the State as of December 2022. Out of these 1433 are in the rural areas (including 153 PHCs and CHCs) and 35 in the urban areas (including 11 district hospitals).

- (1) *Rural Registration centers:* In the Rural Areas a registration unit has been set up in each recognized village of the State, manned by the Head Teacher of Government Primary School as the Registrar of Births & Deaths for their concerned village with effect from 1-12-2006. A registration unit is set up in PHCs and CHCs to register the events occurring in these medical institutions.
- (2) *Urban Registration centers:* In the Urban Areas (District Headquarters) a Registration Unit has been set up in the office of the District Registrar of Births & Deaths (District Economics and Statistics Officer). Besides, a registration unit has also been opened in all the Government District Hospitals for registering all vital events occurring in Medical Institutions. Registration Units are set up in Kohima Town Municipal Office and Dimapur Municipal Council Office.

The Department of Economics & Statistics has attached Statistical staff at the rank of Inspector of Statistics and Field Investigator to function as the Registrar of Births and Deaths in the Urban Registration units.

1.5 REGISTRATION PROCEDURE:

Events are registered as per the rules provided in the various sections of the Act by the Registrars concerned. According to the Section 8 and 9 of the Registration of Births & Deaths Act 1969, Birth, Death and Still Birth can be registered only by the Registrar of the area of the place of its occurrence. Events that occurred in Urban and Rural area can be registered at the following places.

(1) Urban Area: In Urban area events can be registered in the concerned District Registrar's Office/ Municipal Offices and Medical Institutions where registration centers had been set up.

In urban areas, head of the household in case of domiciliary event and in-charge of institution in case of institutional events, are responsible to report the vital events to the concerned Registrar.

Events occurring in Government Medical Institutions will be registered in the institution itself with the Registrar of Births & Deaths attached to the concerned Institution.

(2) Rural Areas: In rural areas, vide Notification No.ES/RBD-8/04/2003 dated 7/7/2003, the Village Council Chairman, Gaonburas, Anganwadi workers and Dhai workers has been made responsible to further report these events to the village Registrar. Events can also be reported directly to the Registrar by the head of the household. The ASHA's has been designated as Notifiers of Births & Deaths under notification No.NRHM/NL/15-15/CRS/2012-13/3521 dated 19th November 2012.

1.6 INTER-DEPARTMENTAL CO-ORDINATION COMMITTEE

IDCC meeting was not conducted during the year 2022.

A. State Level Co-ordination Committee on Registration of Births & Deaths

1. Commissioner & Secretary, Economics & Statistics and Chief Registrar of Births & Deaths, Nagaland, Kohima. - Chairperson
2. Director of Economics & Statistics & Addl. Chief Registrar of Births & Deaths, Nagaland, Kohima. - Member Secretary
3. Director, Rural Development, Nagaland, Kohima. - Member
4. Director, Census Operations, Nagaland, Kohima. - Member
5. Principal Director, Health & family Welfare, Nagaland, Kohima. - Member
6. Director of Information & Public Relations, Nagaland, Kohima - Member
7. Director of School Education, Nagaland, Kohima. - Member
8. Director, Social Security & Welfare, Nagaland, Kohima. - Member
9. Addl. Director, Economics & Statistics and Joint Chief Registrar of Births & Deaths - Member
10. Deputy Director, Economics & Statistics & Deputy Chief Registrar of Births & Deaths, Nagaland, Kohima. - Member

B. District Level Co-ordination Committee of Births & Deaths

1. Deputy Commissioner & District Chief Registrar of Births & Deaths - Chairman
2. District Economics and Statistical Officer and District Registrar of Births & Deaths - Member Secretary
3. District Medical Superintendent/ Civil Surgeon - Member
4. District Education Officer - Member
5. District Information & Public Relation Officer - Member

1.7 MEDICAL CERTIFICATION OF CAUSE OF DEATH

Medical Certification of causes of Death has been implemented under section 10(3) of Registration of Births & Deaths Act 1969. The scheme on Medical Certification of causes of Death has been introduced in the year 1976 in Nagaland. This Scheme is presently being implemented only in the urban areas of the state, where majority of the medical institutions are functioning. At present, eleven (11) Government hospitals are covered under the scheme.

Medical Institutions functioning in the rural areas are not yet covered under MCCD. In these institutions though the treatment is available, deaths reported are almost negligible. It may be due to the fact that, the most serious patients are referred from rural institutions to urban institutions, in the absence of proper treatment facilities.

1.8 TRAINING ON MEDICAL CERTIFICATION OF CAUSE OF DEATH

The Departments of Economics and Statistics and Health and Family Welfare partnered with Tata Memorial Centre, Mumbai to pave the way forward for implementing the training programs on quality of certification of cause of death across the state. Accordingly, a two day training programme on “Medical Certification of Cause of Death” was organized from 7th & 8th September 2022 at Hotel Vivor, Kohima.

1.9 ISSUE OF BIRTH & DEATH CERTIFICATES

The extract from birth and death register is issued in Form No. 5 and 6 respectively under Section 12 and 17 of the Registration of Births & Deaths Act 1969. Prescribed fee is however charged for the issue of such extract as per Rule 9 of the Nagaland Registration of Births & Deaths Rules 1999. Registrars of both rural and urban areas are directed to issue certificate under Section 12 to each and every informant reporting the event, on time.

Delayed Registration:

SL. No.	Time limit for delayed registration	Formalities needed to observed	Late fee
1	1 to 21 days of occurrence	-	Free registration
2	21 - 30 days of occurrence	Permission of the Registrar	Rs 10/-
3	After 30 days but within one year of occurrence	Production of an affidavit made before a notary public, inquiry report of the concerned Registrar, prove of date of birth/death, residence proof.	Rs 20/-
4	After one year of occurrence	1. An order of the first class Magistrate or a presidency Magistrate.	Rs 30/-
		2. Inquiry report of the concerned Registrar, Proof of date of birth, residence proof.	

Section 13 of RBD Act 1969 and Under Rule 9(1) (2) (3) of the Nagaland Registration of Births & Deaths (Amendment) Rules 1999 lays down the procedure for registration of vital events reported after the expiry of stipulated normal reporting period which are as below:

- Any birth or death of which information is given to the Registrar after the expiry of the period specified therefore, but within thirty days of its occurrence, shall be registered on payment of such late fee as may be prescribed. [Rule 9(1)]
- Any birth or death of which delayed information is given to the Registrar after thirty days but within one year of its occurrence shall be registered only with the written permission of the prescribed authority and on payment of the prescribed fee and the production of an affidavit made before a notary public or any other officer authorized in this behalf by the State Government. [Rule 9(2)]
- Any birth or death which has not been registered within one year of its occurrence shall be registered only on an order made by a magistrate of the first class after verifying the correctness of the birth or death and on payment of the prescribed fee. [Rule 9(3)]

1.10 MAINTENANCE AND RECORDS

The local Registrars are required to maintain the record of all births, deaths and still births in separate registers. Every year on the first of January, new registers are opened by the local Registrars. The registers related to rural registration centers are transferred to the District Registrar's Office for maintaining records on permanent basis after the close of the year. Efforts are required to preserve these historical records in digital form as well, considering its legal value.

1.11 PUBLICITY

The Department has been taking various steps for publicizing on the importance of Registration of Births & Deaths, which were exhibited to the public in the form of Posters, Pamphlets, Wall hangers, Billboards etc. with the messages of Births & Deaths. More Publicity Campaigns on Registration of Births & Deaths is required to create awareness on the importance of Registration of Births & Deaths.

1.12 TRAINING

No training programme was conducted during the year 2022 due to financial constraints.

1.13 INSPECTION

Due to time and financial constraints, inspection of registration units could not be conducted during the year 2022.

1.14 PRINTING OF FORMS & REGISTER

During the year 2022 the forms and certificates and register of births, deaths and still births were made available in time and in sufficient quantity, to all the Registration centers both in the rural and urban areas through the District Registrars (DESOs).

1.15 PROSECUTION AND COMPOUNDING OFFENCES

There was no report on prosecution of compounding offences during 2022.

1.16 DIFFICULTIES ENCOUNTERED IN IMPLEMENTATION OF THE ACT

Implementation of the Registration of Birth & Deaths in the State is hindered by the following factors:

1. Inadequate postal facilities.
2. Inadequate transportation/communication facilities.
3. Low level of awareness.
4. Lack of remuneration for CRS functionaries.
5. Delay in submission of reports by Registrars.

1.17 COMPARATIVE ACHIEVEMENT

Births & Deaths registered in Rural and Urban areas of the State for the last 5 (Five) years have been presented in the following table:

SL. NO.	YEAR	AREA	Number of Births	Number of Deaths
			Registered	Registered
1	2018	Rural	34961	342
		Urban	12396	486
		Total	47357	828
2	2019	Rural	53095	802
		Urban	24611	1464
		Total	77706	2266
3	2020	Rural	28306	652
		Urban	17773	1857
		Total	46079	2509
4	2021	Rural	36976	624
		Urban	28012	3156
		Total	64988	3780
5	2022	Rural	46198	797
		Urban	34615	3023
		Total	80813	3820

1.18 INFORMATION IN RESPECT OF ISSUANCE OF EXTRACT/ CERTIFICATE UNDER SECTION 12 AND 17 OF RBD ACT, 1969

80813 Births Certificates and 3820 Deaths Certificates were issued under section 12 in 2022. Issuance of extract under section 17 is nil.

1.19 COMPUTERISATION

- (a) Births & Deaths data is compiled digitally in every district headquarter.
- (b) Currently the Registration units in the village/block level are functioning on manual mode only.
- (c) The department is taking concrete steps to upgrade the ICT (Information and Communications Technology) capability of the district headquarters for implementation of the Civil Registration System (CRS) software for online registration of Births and Deaths events and issuance of certificates through the ORGI portal.

1.20 GENERAL REMARKS

The level of registration has considerably improved in the urban areas with the persistent efforts of the staff deployed for the purpose and the administrative measures taken in the recent years.

1.21 CONCLUSION

For the successful implementation of the provisions of the Registration of Births & Deaths Act 1969, trainings at regular intervals should be conducted with the financial assistance from the ORGI. In all the training programmes, Registrars have shared their grievances regarding lack of honorarium. This issue needs to be addressed. Large scale publicity campaign on the

importance of Registration of Births and Deaths are required to create awareness among the people especially in the rural and remote areas of the state for which financial assistance from the ORGI is needed. There is the need to resolve the problem of submission of reports from the Registration units especially for Registration units located in remote areas of the state where transportation facility and internet connectivity are lacking.

2. CONCEPTS AND METHODOLOGY OF CALCULATING VITAL INDICATORS

2.1 Live Birth:

Complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, and each product of such birth is considered live-born.

- Crude Birth Rate (CBR)

$$= \frac{\text{Number of live births registered during the year}}{\text{Mid-year population}} \times 1000$$

2.2 Still Birth:

Fetal death, where a product of conception has attained at least the prescribed period of gestation.

2.3 Death:

Permanent disappearance of all evidence of the life at any time after live birth has taken place.

- Crude Death Rate (CDR)

$$= \frac{\text{Number of deaths registered during the year}}{\text{Mid-year population}} \times 1000$$

2.4 Infant Death:

Death of child less than one year old.

- Infant Mortality Rate (IMR)

$$= \frac{\text{Number of infant death registered during the year}}{\text{Number of live birth registered during the year}} \times 1000$$

2.5 Still Birth Rate:

- Still Birth Rate (SBR)

$$= \frac{\text{Number of still births registered during the year}}{\text{Number of live births and still births registered during the year}} \times 1000$$

2.6 Level of Registration:

The level of registration, defined as the percentage of registered births/deaths to the births/deaths estimated through Sample Registration System (SRS), determines the performance level of a State/ Union territory with regard to functioning of Civil Registration System.

- Level of Registration (LOR)

$$\text{LOR} = \frac{\text{No. of events registered during the year}}{\text{No. of estimated events for the year}} \times 100$$

- SRS provides reliable estimates of infant mortality rate, birth rate, death rate and other fertility and mortality indicators at the national and sub-national levels. It is a large-scale demographic survey conducted every year by Office of the Registrar General, India in all States/Union Territories.

2.6.1 Mid-year Population:

- Population at the mid-point of the year, i.e., 1st July of the year.
- Number of estimated events for a year = mid-year population x SRS Rate.
- Sex Ratio at birth (SRB)

$$\text{SRB} = \frac{\text{Number of female births registered during the year}}{\text{Number of male births registered during the year}} \times 1000$$

2.7 Gross Natural addition to the Population

$$= \text{Total Registered Births} - \text{Total Registered Deaths.}$$

2.8 Rate of Natural Increase = CBR – CDR

2.9 Maternal Mortality Rate

$$\text{MMR} = \frac{\text{Registered number of maternal death}}{\text{Number of live births}} \times 100000$$

2.10 Number of Monthly Returns due

A Summary Monthly Report of Forms No. 11 (Birth), 12 (Death) and 13 (Still Birth) presented in a concise single page is required to be submitted every month by a Registration Unit. Thus, every registration unit in the state is expected to send 12 reporting forms in a year.

2.11 Adjusted for incomplete Receipt of Returns

$$= \frac{\text{Estimated Mid-Year Population}}{\text{No. of Monthly Returns Received}}$$

3. LIST OF TABLES

Table no.	Title	Page no.
1.1	Vital statistics by district in rural areas during 2022	14
1.2	Vital statistics by district in urban areas during 2022	15
2	Number of births, deaths and infant deaths by sex, maternal deaths and still births registered during 2022	16-17
3	Number of births, deaths and infant deaths by sex, maternal deaths and still births registered during 2022(consolidated) during 2022	18
4	Vital rate by districts during 2022	19
5	Vital statistics for towns with population 30,000 and above during 2022	20
6	Number of live births by type of delivery attention during 2022	21
7	Number of deaths by type of medical attention received during 2022	22
8	Number of deaths by age and sex during 2022	23
9	Medically certified deaths by age and sex according to national list of tenth revision of ICD during 2022	24-64
9.1	Age-wise death registered under the major group of cause of death during 2022	65
9.2	Major group of cause of death registered in Nagaland in 2022	66-67
10	Vital statistics by religion during 2022	67-68
11	Vital statistics by month and sex during 2022	68
12.1	Live births by birth order and age of mother in rural areas during 2022	69
12.2	Live births by birth order and age of mother in urban areas during 2022	70
13.1	Live births by birth order and literacy of mother in rural areas during 2022	71
13.2	Live births by birth order and literacy of mother in urban areas during 2022	72
14.1	Live births by birth order and literacy of father rural areas during 2022	73

14.2	Live births by birth order and literacy of father in urban areas during 2022	74
15.1	Live births by birth order and occupation of father in rural areas during 2022	75
15.2	Live births by birth order and occupation of father in urban areas during 2022	76
16.1	Live births by birth order and father's religion in rural areas during 2022	77
16.2	Live births by birth order and father's religion in urban areas during 2022	78
17	Deaths by occupation and sex during 2022	79
18	Infants deaths by sex & age during 2022	80
19	Maternal deaths by age during 2022	80-81
20.1	Time gap in registration of live births and deaths in rural during 2022	81-82
20.2	Time gap in registration of live births and deaths in urban during 2022	83
20.3	Time gap in registration of live births and deaths (combined) during 2022	84

ANNUAL BIRTHS & DEATHS STATISTICAL REPORT 2022

4. VITAL STATISTICS BY DISTRICT

Civil Registration System (CRS), popularly known as birth and death registration system, is the recording of vital events i.e. Birth, Death & Still Birth under the statutory provisions on continuous and permanent basis. CRS falls under the Concurrent list of the Constitution of India at Sl. No. 30. Vital statistics generated from civil registration significantly contributes to the formulation of effective and efficient evidence-based policy across multiple sectors.

4.1 Vital Statistics by District in Rural areas

TABLE -1.1
VITAL STATISTICS BY DISTRICT IN RURAL AREAS DURING 2022

Sl. No	District	Population Census 2011(A)	Number of Registration Units	Number of Monthly Returns Due	Number of Monthly Returns Received	Estimated midyear population	
						Total	Adjusted for Incomplete Receipt of Returns
0	1	2	3	4	5	6	7
1	Kohima	146900	114	1368	1026	165796	124347
2	Phek	138843	142	1704	1363	156703	125344
3	Mokokchung	138897	123	1476	1107	156764	117573
4	Wokha	131339	129	1548	1006	148233	96333
5	Zunheboto	113160	189	2268	2063	127716	116172
6	Tuensang	159822	145	1740	1545	180380	160165
7	Mon	215816	135	1620	1601	243577	240720
8	Dimapur	180942	198	2376	1982	204217	170353
9	Peren	81429	108	1296	1102	91903	78146
10	Longleng	42871	60	720	470	48386	31585
11	Kiphire	57517	90	1080	710	64916	42676
(TOTAL)		1407536	1433	17196	13975	1588590	1303413

Source:- Data Received from Registrars of Births and Deaths

Table 1.1 shows the estimated mid-year population of the state in rural areas during 2022. As of December 2022, there are 1433 registration units in rural areas. A total of 17196 monthly reports were expected out of which 13975 (i.e 81.27 per cent) monthly reports were received. The estimated mid-year population in rural areas has grown by 12.86 per cent as compared to 2011 census data.

4.2 Vital Statistics by District in Urban Areas

**TABLE -1.2
VITAL STATISTICS BY DISTRICT IN URBAN AREAS DURING 2022**

Sl.no	District	Population Census 2011(A)	Number of Registration Units	Number of Monthly Returns Due	Number of Monthly Returns Received	Estimated midyear population	
						Total	Adjusted for Incomplete Receipt of Returns
0	1	2	3	4	5	6	7
1	Kohima	121088	5	60	60	136664	136664
2	Phek	24575	2	24	24	27736	27736
3	Mokokchung	55725	3	36	36	62893	62893
4	Wokha	35004	3	36	36	39507	39507
5	Zunheboto	27597	2	24	24	31147	31147
6	Tuensang	36774	3	36	36	41504	41504
7	Mon	34444	4	48	48	38875	38875
8	Dimapur	197869	7	84	84	223321	223321
9	Peren	13790	2	24	24	15564	15564
10	Longleng	7613	2	24	24	8592	8592
11	Kiphire	16487	2	24	24	18608	18608
TOTAL URBAN		570966	35	420	420	644410	644410

Source:- Data Received from Registrars of Births and Deaths

Table 1.2 shows the estimated mid-year population of the state in urban areas during 2022. As of December 2022, there are 35 registration units in urban areas. The estimated mid-year population in urban areas has grown by 12.86 per cent as compared to 2011 census data.

5. NUMBER OF BIRTHS, DEATHS AND INFANT DEATHS BY SEX, MATERNAL DEATHS AND STILL BIRTH REGISTERED

The registration of birth and death is done under the provisions of a central Act namely the Registration of Births and Deaths Act, 1969 and Nagaland Registration of Births & Deaths (Amendment) Rules, 1999. Under the provisions of RBD Act 1969, the registration of birth and death is mandatory. The events of births, still births and deaths are registered in the place of occurrence of the event i.e. where the event took place. The normal period of reporting the event is 21 days from its occurrence, however, the event can be registered after the normal period under delayed registration provisions of Section 13 of the RBD Act.

TABLE- 2
NUMBER OF BIRTHS, DEATHS AND INFANT DEATHS BY SEX, MATERNAL DEATHS AND STILL BIRTHS REGISTERED DURING 2022

Sl. No.	District	Rural Urban	Births			Deaths			Infant Deaths			Maternal Deaths	Still Births			
			Total	M	F	T	M	F	T	M	F	T	F	M	F	T
1	Kohima	Rural	1245	1462	2707	131	55	186	0	0	0	0	0	0	0	0
		Urban	535	602	1137	186	98	284	1	0	1	0	0	0	0	0
		Total	1780	2064	3844	317	153	470	1	0	1	0	0	0	0	0
2	Phek	Rural	1275	1255	2530	72	30	102	0	0	0	0	0	0	0	0
		Urban	334	348	682	65	30	95	0	0	0	0	0	0	0	0
		Total	1609	1603	3212	137	60	197	0	0	0	0	0	0	0	0
3	Mokokchung	Rural	673	728	1401	64	41	105	0	0	0	0	0	0	0	0
		Urban	538	515	1053	159	68	227	0	0	0	0	0	0	0	0
		Total	1211	1243	2454	223	109	332	0	0	0	0	0	0	0	0
4	Wokha	Rural	528	508	1036	22	4	26	0	0	0	0	0	0	0	0
		Urban	91	100	191	50	11	61	0	0	0	0	0	0	0	0
		Total	619	608	1227	72	15	87	0	0	0	0	0	0	0	0
5	Zunheboto	Rural	2060	2225	4285	65	24	89	0	0	0	0	0	0	0	0
		Urban	941	957	1898	117	43	160	0	0	0	0	0	0	0	0
		Total	3001	3182	6183	182	67	249	0	0	0	0	0	0	0	0
6	Tuensang	Rural	5520	4618	10138	45	35	80	0	0	0	0	0	0	0	0
		Urban	925	861	1786	95	21	116	0	0	0	0	0	0	0	0
		Total	6445	5479	11924	140	56	196	0	0	0	0	0	0	0	0
7	Mon	Rural	7904	7511	15415	23	14	37	0	0	0	0	0	0	0	0
		Urban	1587	1587	3174	124	30	154	0	0	0	0	0	0	0	0
		Total	9491	9098	18589	147	44	191	0	0	0	0	0	0	0	0

8	Dimapur	Rural	2161	2149	4310	59	19	78	0	0	0	0	0	0	0
		Urban	11374	11531	22905	1305	491	1796	1	0	1	0	0	0	0
		Total	13535	13680	27215	1364	510	1874	1	0	1	0	0	0	0
9	Peren	Rural	907	936	1843	29	14	43	0	0	0	0	0	0	0
		Urban	287	285	572	10	6	16	0	0	0	0	0	0	0
		Total	1194	1221	2415	39	20	59	0	0	0	0	0	0	0
10	Longleng	Rural	685	673	1358	17	6	23	0	0	0	0	0	0	0
		Urban	104	83	187	57	26	83	2	6	8	0	0	0	0
		Total	789	756	1545	74	32	106	2	6	8	0	0	0	0
11	Kiphire	Rural	589	586	1175	23	5	28	0	0	0	0	0	0	0
		Urban	535	495	1030	23	8	31	0	0	0	0	0	0	0
		Total	1124	1081	2205	46	13	59	0	0	0	0	0	0	0
Nagaland(Total)	Rural	23547	22651	46198	550	247	797	0	0	0	0	0	0	0	
	Urban	17251	17364	34615	2191	832	3023	4	6	10	0	0	0	0	
	Total	40798	40015	80813	2741	1079	3820	4	6	10	0	0	0	0	

Source:- Data Received from Registrars of Births and Deaths

Table 2 shows the number of births, deaths and infant deaths by sex, maternal deaths and still births registered during 2022. During the year 2022, in rural areas, birth registration in Mon district was the highest (33.37 percent of the total rural births registered), while Wokha district registered the least number of rural births (1.52 percent of the total rural births registered). In the urban areas, the highest number of births was registered in Dimapur district (66.17 percent of the total rural births registered) and the lowest births registered were in Longleng district (0.54 percent of the total rural births registered).

The highest deaths in rural areas were registered in Kohima district (23.34 percent) and lowest in Longleng district (2.89 percent). In the urban areas, the highest deaths were registered in Dimapur district (59.41 percent) and lowest in Peren district (0.53 percent).

During the year, infant deaths were reported from three districts, which are Longleng district (80 percent), Dimapur district (10 percent) and Kohima district (10 percent).

No still births were registered for the year 2022.

6. NUMBER OF BIRTHS, DEATHS AND INFANT DEATHS BY SEX, MATERNAL DEATHS AND STILL BIRTHS REGISTERED (CONSOLIDATED)

TABLE-3
NUMBER OF BIRTHS, DEATHS AND INFANT DEATHS BY SEX, MATERNAL DEATHS AND STILL BIRTHS REGISTERED DURING 2022(CONSOLIDATED)

SL NO.	DISTRICT	Births			Deaths			Infant Deaths			Maternal deaths	Still Births		
		Male	Female	Total	Male	Female	Total	Male	Female	Total		Male	Female	Total
1	Kohima	1780	2064	3844	317	153	470	1	0	1	0	0	0	0
2	Phek	1609	1603	3212	137	60	197	0	0	0	0	0	0	0
3	Mokokchung	1211	1243	2454	223	109	332	0	0	0	0	0	0	0
4	Wokha	619	608	1227	72	15	87	0	0	0	0	0	0	0
5	Zunheboto	3001	3182	6183	182	67	249	0	0	0	0	0	0	0
6	Tuensang	6445	5479	11924	140	56	196	0	0	0	0	0	0	0
7	Mon	9491	9098	18589	147	44	191	0	0	0	0	0	0	0
8	Dimapur	13535	13680	27215	1364	510	1874	1	0	1	0	0	0	0
9	Peren	1194	1221	2415	39	20	59	0	0	0	0	0	0	0
10	Longleng	789	756	1545	74	32	106	2	6	8	0	0	0	0
11	Kiphire	1124	1081	2205	46	13	59	0	0	0	0	0	0	0
	<i>Total</i>	40798	40015	80813	2741	1079	3820	4	6	10	0	0	0	0


Source:- Data Received from Registrars of Births and Deaths

Table 3 shows the number of births, deaths and infant deaths by sex, maternal deaths and still births registered during 2022 (Consolidated). Dimapur district registered the highest number of births (33.68 percent of total births registered), whereas birth registration in Wokha district (1.52 percent of total births registered) was the lowest among the eleven districts.

There was an increase in death reporting in 2022 by 1.06 percent as compared to 2021 data, with Dimapur district registering the highest number of deaths (49.06 percent). Death registration was the lowest in Peren district (1.54 percent) and Kiphire district (1.54 percent).

A total of 10 infant deaths were registered in 2022. 40% of the registered infant deaths were male and the remaining 60% were female.

The sex-wise distribution of Registered Births and Deaths are shown in Chart 1 and Chart 2 below.



7. VITAL RATE BY DISTRICTS

TABLE- 4
VITAL RATE BY DISTRICTS DURING 2022(PER THOUSAND POPULATION)

Sl. No.	District	Rural				Urban				COMBINED			
		Birth Rate	Death Rate	Infant Death Rate	Maternal Death rate	Birth Rate	Death Rate	Infant Death Rate	Maternal Death rate	Birth Rate	Death Rate	Infant Mortality	Maternal Death
1	Kohima	0.80	1.20	0	0	1.74	1.09	0	0	1.22	0.79	0	0
2	Phek	1.69	0.56	0	0	2.70	2.52	0	0	2.45	0.98	0	0
3	Mokokchung	0.54	0.89	0	0	2.37	1.67	0	0	1.03	0.87	0	0
4	Wokha	0.57	0.28	0	0	0.13	0.68	0	0	0.41	0.31	0	0
5	Zunheboto	0.50	0.61	0	0	2.38	2.28	0	0	0.98	0.84	0	0
6	Tuensang	4.33	0.44	0	0	4.22	1.69	0	0	4.29	0.58	0	0
7	Mon	4.13	0.37	0	0	6.12	2.32	0	0	4.63	0.45	0	0
8	Dimapur	2.98	7.19	0	0	10.98	5.48	0.41	0	7.60	3.22	0.34	0
9	Peren	2.85	0.15	0	0	6.17	0.77	0	0	4.13	0.41	0	0
10	Longleng	1.84	1.42	34.48	0	3.96	5.24	0	0	1.76	1.07	0	0
11	Kiphire	0.63	0.47	0	0	0.27	1.07	0	0	0.49	0.31	0	0
Nagaland (Total)		2.29	1.44	0.67	0.00	5.49	2.92	0.85	0.00	3.41	1.19	0.46	0.00

Source:- Data Received from Registrars of Births and Deaths

Table 4 shows the vital rate by district wise for the year 2022. In the rural areas, the highest birth rate was reported in Tuensang district (4.33), followed by Mon district (4.13) and Dimapur district (2.98). In the urban areas, Dimapur district registered the highest birth rate of 10.98, followed by Peren district (6.17) and Mon district (6.12). Overall, the highest birth rate was reported in Dimapur district (7.60). The birth rate of Nagaland is 3.14 in 2022, which shows an increase by 34.4 percent as compared to birth rate of 2.54 in 2021.

The death rate is the highest in Dimapur district (3.22), followed by Longleng district (1.07). The death rate in Nagaland is 1.19 in 2022, which shows a decline in the birth rate by 21.81 percent as compared to death rate of 1.52 in 2021.

The infant mortality rate was 0.46 in 2022.

8. VITAL STATISTICS FOR TOWNS WITH POPULATION 30,000 AND ABOVE

TABLE - 5
VITAL STATISTICS FOR TOWNS WITH POPULATION 30,000
AND ABOVE DURING 2022 (PER THOUSAND POPULATION)

Sl. No	Town	Population 2011 (A)	Population Adjusted for Incomplete Receipt of Returns	Live Birth	Death	Infant Death	Maternal Death	Birth Rate	Death Rate	Infant Death Rate	Maternal Death Rate
1	Kohima Town	121088	136664	238	149	0	0	1.74	1.09	0	0
2	Dimapur Town	197869	223321	2452	1224	1	0	10.98	5.48	0	0
3	Wokha Town	35004	39507	5	27	0	0	0.13	0.68	0	0
4	Mokokchung Town	55725	62893	149	105	0	0	2.37	1.67	0	0
5	Tuensang Town	36774	41504	175	70	0	0	4.22	1.69	0	0
6	Mon	34444	38875	238	90	0	0	6.12	2.32	0	0
Nagaland (Total)		480904	542763	3257	1665	1	0	6.00	3.07	0.002	0

Source:- Data Received from Registrars of Births and Deaths

Table 5 shows the vital statistics for towns with population 30,000 and above during 2022. Dimapur town registered the highest number of live births and deaths during the year. The least number of live births and deaths were registered in Wokha town. The birth rate was highest for Dimapur with approximately 11 live births per thousand population. The infant death rate is negligible at 0.002 for towns with population 30,000 and above.

9. NUMBER OF LIVE BIRTHS BY TYPE OF DELIVERY ATTENTION

TABLE - 6
NUMBER OF LIVE BIRTHS BY TYPE OF DELIVERY ATTENTION DURING 2022

Sl. No	Rural \ Urban \ Total	Type of attention at delivery				
		Institutional	Physician/Nurse and Trained Mid-wife	Untrained Mid-wife	Others	Total
1	Rural	2296	5908	22111	15883	46198
2	Urban Town with population 30,000 above	6660	2190	14343	7053	30246
3	All other Urban areas	557	33	1972	1807	4369
Total Nagaland		9513	8131	38426	24743	80813

Source:- Data Received from Registrars of Births and Deaths

Table 6 shows the number of live births by type of delivery attention during 2022. It can be inferred from the above table that in the rural areas, 47.86 percent of the deliveries were done by untrained midwife, 34 percent through other types of delivery and only 4.96 percent of the deliveries were done in medical institutions.

In the urban towns with population 30000 above, 47.42 percent of the deliveries were done by untrained midwife, 23.32 percent through other types of delivery and 22.02 percent of the deliveries were done in medical institutions.

Out of the total births registered in the state, 47.55 percent of the deliveries were done by untrained midwife, 30.62 percent through other types of delivery, 11.77 percent of the deliveries were done in medical institutions and 10.06 percent of the total deliveries were done by physician/nurse and trained midwife.

10. NUMBER OF DEATHS BY TYPE OF MEDICAL ATTENTION RECEIVED

TABLE - 7
NUMBER OF DEATHS BY TYPE OF MEDICAL ATTENTION RECEIVED DURING 2022

Sl. No	Rural / Urban / Total	DOMICILIARY				Total
		Institutional	Qualified Medical Practitioner (Allopathic)	Qualified Medical Practitioner (Other system)	Others Specify	
1	Rural	83	49	48	617	797
2	Urban Town with Population 30,000 above	793	646	239	960	2638
3	All other Urban Areas	101	21	3	260	385
Nagaland(Total)		977	716	290	1837	3820

Source:- Data Received from Registrars of Births and Deaths

Table 7 shows the number of deaths by type of medical attention received during 2022. In the rural areas, 10.41 percent of the deaths were in medical institutions, whereas in the urban towns with population 30,000 above and all other urban areas, institutional deaths were 30.06 percent and 26.23 percent respectively.

Out of the total deaths reported in the state, 25.58 percent received medical attention in hospitals, while 18.74 percent and 7.59 percent received medical attention from Qualified Medical Practitioner (Allopathic) and Qualified Medical Practitioner (Other system) respectively. The remaining 48.09 percent did not receive medical attention at the time of death.

11. NUMBER OF DEATHS BY AGE AND SEX

TABLE – 8
NUMBER OF DEATHS BY AGE AND SEX DURING 2022

Age	Rural			Urban			Total		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Below 1 Year	0	0	0	4	6	10	4	6	10
1-4 Yrs.	0	0	0	0	4	4	0	4	4
5-14	1	2	3	8	5	13	9	7	16
15-24	13	6	19	37	19	56	50	25	75
25-34	40	14	54	150	53	203	190	67	257
35-44	64	30	94	343	107	450	407	137	544
45-54	110	31	141	429	173	602	539	204	743
55-64	73	24	97	414	142	556	487	166	653
65-69	26	15	41	161	78	239	187	93	280
70 and above	138	76	214	532	217	749	670	293	963
Age not stated	85	49	134	113	28	141	198	77	275
Total of all Ages	550	247	797	2191	832	3023	2741	1079	3820

Source:- Data Received from Registrars of Births and Deaths

Table 8 shows the number of deaths by age and sex during 2022. Out of the total deaths in rural areas, 69 percent are males, whereas 40 percent are females. Majority of the deaths in rural areas (i.e. 26.85 percent) were within the age group of '70 and above' followed by those within the age group of '45-54' years (17.69 percent).

In the urban areas, 72.48 percent of the deaths were males and 27.52 percent were females. Majority of the deaths in urban areas (i.e. 24.78 percent) were within the age group of '70 and above' followed by those within the age group of '45-54' years (19.91 percent).

12. MEDICALLY CERTIFIED DEATHS BY AGE AND SEX ACCORDING TO NATIONAL LIST OF TENTH REVISION OF ICD

TABLE -9
MEDICALLY CERTIFIED DEATHS BY AGE AND SEX ACCORDING TO NATIONAL LIST OF TENTH REVISION OF ICD DURING THE YEAR 2022

M.G/C AT./S. C	CAUSE OF DEATH	SEX	AGE GROUPS											TOTAL
			<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70+	N.S.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
I.	CERTAIN INFECTIOUS AND PARASITIC DISEASES	M	1	1	1	3	5	4	3	6	3	5	7	39
	(A00-B99)	F	0	1	1	1	1	3	2	1	5	5	2	22
		T	1	2	2	4	6	7	5	7	8	10	9	61
1	Intestinal infectious diseases	M	1	0	1	0	1	0	0	0	1	1	1	6
	(A00-A09)	F	0	1	0	0	0	0	0	0	1	2	0	4
		T	1	1	1	0	1	0	0	0	2	3	1	10
1	Cholera	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A00)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Typhoid fever and paratyphoid fevers	M	1	0	1	0	0	0	0	0	0	1	1	4
	(A01)	F	0	1	0	0	0	0	0	0	1	1	0	3
		T	1	1	1	0	0	0	0	0	1	2	1	7
3	Food poisoning	M	0	0	0	0	1	0	0	0	1	0	0	2
	(A02, A05)	F	0	0	0	0	0	0	0	0	0	1	0	1
		T	0	0	0	0	1	0	0	0	1	1	0	3

4	Shigellosis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Amoebiasis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A06)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Diarrhoea and gastroenteritis of presumed	M	0	0	0	0	0	0	0	0	0	0	0	0
	infectious origin (A09)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Other intestinal infectious diseases	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A04,A07-A08)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Tuberculosis	M	0	0	0	1	0	1	0	2	0	0	0	4
	(A15-A19)	F	0	0	0	0	0	0	1	0	0	0	1	2
		T	0	0	0	1	0	1	1	2	0	0	1	6
1	Respiratory tuberculosis	M	0	0	0	0	0	0	0	1	0	0	0	1
	(A15-A16)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	1	0	0	0	1
2	Tuberculosis of nervous system	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A17)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Tuberculosis of other organs & miliary	M	0	0	0	1	0	1	0	1	0	0	0	3
	tuberculosis (A18-A19)	F	0	0	0	0	0	0	1	0	0	0	1	2

		T	0	0	0	1	0	1	1	1	0	0	1	5
3	Other bacterial diseases	M	0	1	0	0	1	0	0	1	0	1	1	5
	(A20-A49)	F	0	0	0	0	0	1	0	0	2	0	0	3
		T	0	1	0	0	1	1	0	1	2	1	1	8
1	Plague	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A20)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Leprosy	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A30)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Neonatal tetanus	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A33)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Other tetanus	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A34-A35)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Diphtheria	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A36)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Whooping cough	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A37)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Meningococcal infection	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A39)	F	0	0	0	0	0	0	0	0	0	0	0	0

		T	0	0	0	0	0	0	0	0	0	0	0	0
8	Septicaemia	M	0	1	0	0	1	0	0	0	0	0	1	3
	(A40-A41)	F	0	0	0	0	0	1	0	0	1	0	0	2
		T	0	1	0	0	1	1	0	0	1	0	1	5
9	All other types of bacterial diseases	M	0	0	0	0	0	0	0	1	0	1	0	2
	(A21-A28,A31-A32,A38, A42-A49)	F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	0	0	0	0	1	1	1	0	3
4	Infections with a predominantly sexual mode of transmission (A50-A64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Syphilis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A50-A53)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Other types of infections with a predominantly sexual mode of transmission (A54-A64)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Viral diseases	M	0	0	0	2	2	2	3	1	2	3	4	19
	(A70-A74 & A80-B34)	F	0	0	1	1	1	2	1	1	1	2	1	11
		T	0	0	1	3	3	4	4	2	3	5	5	30
1	Acute poliomyelitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A80)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

2	Rabies	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A82)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Japanese encephalitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A83.0)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Other viral encephalitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A83.1-A83.9,A84-A86)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Dengue fever	M	0	0	0	1	0	0	0	0	1	0	0	2
	(A90)	F	0	0	1	0	0	0	0	0	0	0	0	1
		T	0	0	1	1	0	0	0	0	1	0	0	3
6	Other arthropod-borne viral fevers and viral haemorrhagic fevers (A91-A94, A96-A99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Smallpox	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
8	Measles	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B05)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	Acute Hepatitis B	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B16)	F	0	0	0	0	0	0	0	0	0	0	0	0

Civil Registration System in Nagaland Annual Report 2022

		T	0	0	0	0	0	0	0	0	0	0	0	0
10	Other viral hepatitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B15, B17-B19)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
11	Human immunodeficiency virus [HIV] disease	M	0	0	0	1	1	0	1	0	0	0	2	5
	(B20-B24)	F	0	0	0	0	1	1	0	0	0	0	2	
		T	0	0	0	1	2	1	1	0	0	2	7	
12	All other types of viral diseases (A70-A74,A81,	M	0	0	0	0	1	2	2	1	1	3	2	12
	A87-A89,A95,B00-B02,B04,B06-B09 & B25-B34)	F	0	0	0	1	0	1	1	1	1	2	1	8
		T	0	0	0	1	1	3	3	2	2	5	3	20
6	Protozoal diseases	M	0	0	0	0	1	1	0	2	0	0	1	5
	(B50-B64)	F	0	0	0	0	0	0	0	0	1	1	0	2
		T	0	0	0	0	1	1	0	2	1	1	1	7
1	Malaria	M	0	0	0	0	0	1	0	1	0	0	1	3
	(B50-B54)	F	0	0	0	0	0	0	0	0	0	1	1	2
		T	0	0	0	0	0	1	0	1	1	1	1	5
2	All other types of protozoal diseases	M	0	0	0	0	1	0	0	1	0	0	0	2
	(B55-B64)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	1	0	0	1	0	0	0	2
7	Other certain infectious & parasitic diseases and	M	0	0	0	0	0	0	0	0	0	0	0	0
	late effects of infectious & parasitic diseases	F	0	0	0	0	0	0	0	0	0	0	0	0
	(A65-A69 & A75-A79,B35-B49,B65-B99)	T	0	0	0	0	0	0	0	0	0	0	0	0

1	Filariasis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B74)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Other helminthiasis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B65-B73,B75,B77-B83)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other spirochaetal diseases and Rickettsioses	M	0	0	0	0	0	0	0	0	0	0	0	0
	(A65-A69 & A75-A79)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other infectious & parasitic diseases and late effects of infectious & parasitic diseases	M	0	0	0	0	0	0	0	0	0	0	0	0
	(B35-B49,B76, B85-B99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
II.	NEOPLASMS	M	0	0	1	1	1	4	4	5	3	3	1	23
	(C00-D48)	F	0	0	0	0	2	0	3	3	2	0	1	11
		T	0	0	1	1	3	4	7	8	5	3	2	34
8	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

9	Malignant neoplasms of digestive organs	M	0	0	0	0	0	2	1	3	2	2	1	11
	(C15-C26)	F	0	0	0	0	1	0	1	3	0	0	0	5
		T	0	0	0	0	1	2	2	6	2	2	1	16
1	Malignant neoplasm of oesophagus	M	0	0	0	0	0	1	0	1	1	0	0	3
	(C15)	F	0	0	0	0	0	0	1	1	0	0	0	2
		T	0	0	0	0	0	1	1	2	1	0	0	5
2	Malignant neoplasm of stomach	M	0	0	0	0	0	1	0	1	1	1	0	4
	(C16)	F	0	0	0	0	1	0	0	1	0	0	0	2
		T	0	0	0	0	1	1	0	2	1	1	0	6
3	Malignant neoplasm of small intestine	M	0	0	0	0	0	0	0	0	0	0	0	0
	including duodenum (C17)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of colon	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C18)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of rectosigmoid junction, rectum,anus and anal canal (C19-C21)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of liver and intrahepatic bile ducts (C22)	M	0	0	0	0	0	0	1	1	0	1	1	4
		F	0	0	0	0	0	0	0	1	0	0	0	1
		T	0	0	0	0	0	0	1	2	0	1	1	5

7	Malignant neoplasm of pancreas	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C25)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
8	Other malignant neoplasms of digestive organs (C23-C24,C26)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
10	Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)	M	0	0	0	0	1	1	2	1	1	1	0	7
		F	0	0	0	0	0	0	1	0	2	0	0	3
		T	0	0	0	0	1	1	3	1	3	1	0	10
1	Malignant neoplasm of larynx (C32)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of trachea, bronchus and lung (C33-C34)	M	0	0	0	0	0	1	1	0	1	1	0	4
		F	0	0	0	0	0	0	1	0	1	0	0	2
		T	0	0	0	0	0	1	2	0	2	1	0	6
3	Other malignant neoplasm of respiratory and intrathoracic organs (C30-C31, C37-C39)	M	0	0	0	0	1	0	1	1	0	0	0	3
		F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	0	1	0	1	1	1	0	0	4
11	Malignant neoplasms of bone, mesothelial and soft tissue, skin and breast (C40-C50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

1	Malignant neoplasm of bone and articular cartilage (C40-C41)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant melanoma of skin (C43)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other malignant neoplasms of skin (C44)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasms of mesothelial and soft tissue (C45-C49)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Malignant neoplasm of breast (C50)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
12	Malignant neoplasms of genitourinary organs (C51-C68)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of cervix uteri (C53)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of other and unspecified parts of uterus (C54-C55)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

3	Malignant neoplasm of ovary	F	0	0	0	0	0	0	0	0	0	0	0	0
	(C56)	T	0	0	0	0	0	0	0	0	0	0	0	0
4	Malignant neoplasm of placenta	F	0	0	0	0	0	0	0	0	0	0	0	0
	(C58)	T	0	0	0	0	0	0	0	0	0	0	0	0
5	Other malignant neoplasms of female	F	0	0	0	0	0	0	0	0	0	0	0	0
	genital organs (C51-C52,C57)	T	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of prostate	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C61)	T	0	0	0	0	0	0	0	0	0	0	0	0
7	Other malignant neoplasms of male	M	0	0	0	0	0	0	0	0	0	0	0	0
	genital organs (C60,C62-C63)	T	0	0	0	0	0	0	0	0	0	0	0	0
8	Malignant neoplasm of bladder	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C67)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	Other malignant neoplasms of urinary tract	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C64-C66,C68)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
13	Malignant neoplasms of eye, brain and other	M	0	0	0	0	0	0	0	0	0	0	0	0
	parts of central nervous system (C69-C72)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of eye & adnexa	M	0	0	0	0	0	0	0	0	0	0	0	0

	(C69)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of meninges, brain and other	M	0	0	0	0	0	0	0	0	0	0	0	0
	parts of central nervous system (C70-C72)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
14	Malignant neoplasms of other and	M	0	0	0	0	0	0	0	0	0	0	0	0
	unspecified sites (C73-C80 & C97)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Malignant neoplasm of other, ill-defined, secondary,	M	0	0	0	0	0	0	0	0	0	0	0	0
	unspecified and multiple sites (C73-C80 & C97)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
15	Malignant neoplasms of lymphoid, haematopoietic	M	0	0	1	1	0	1	1	1	0	0	0	5
	and related tissue (C81-C96)	F	0	0	0	0	1	0	1	0	0	0	1	3
		T	0	0	1	1	1	1	2	1	0	0	1	8
1	Hodgkin's disease	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C81)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Non-Hodgkin's lymphoma	M	0	0	0	0	0	0	0	0	0	0	0	0
	(C82-C85)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Multiple myeloma and malignant plasma cell	M	0	0	0	0	0	0	0	0	0	0	0	0

	neoplasms (C90)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Leukaemia	M	0	0	1	1	0	1	1	1	0	0	0	5
	(C91-C95)	F	0	0	0	0	1	0	1	0	0	0	1	3
		T	0	0	1	1	1	1	2	1	0	0	1	8
5	Other malignant neoplasms of lymphoid,	M	0	0	0	0	0	0	0	0	0	0	0	0
	haematopoietic and related tissue (C88 & C96)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
16	Carcinoma in situ	M	0	0	0	0	0	0	0	0	0	0	0	0
	(D00-D09)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Carcinoma in situ	M	0	0	0	0	0	0	0	0	0	0	0	0
	(D00-D09)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
17	Benign neoplasms	M	0	0	0	0	0	0	0	0	0	0	0	0
	(D10-D36)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Leiomyoma of uterus	F	0	0	0	0	0	0	0	0	0	0	0	0
	(D25)	T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other benign neoplasms	M	0	0	0	0	0	0	0	0	0	0	0	0
	(D10-D24 & D26-D36)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
18	Other and unspecified neoplasm	M	0	0	0	0	0	0	0	0	0	0	0	0

	(D37-D48)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Other and unspecified neoplasm	M	0	0	0	0	0	0	0	0	0	0	0	0
	(D37-D48)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
III.	DISEASES OF THE BLOOD AND BLOOD-FORMING	M	0	3	0	2	1	1	1	0	1	3	3	15
	ORGANS AND CERTAIN DISORDERS INVOLVING	F	0	1	2	0	1	1	1	0	0	1	1	8
	THE IMMUNE MECHANISM (D50-D89)	T	0	4	2	2	2	2	2	0	1	4	4	23
19	Diseases of the blood and blood-forming	M	0	3	0	2	1	1	1	0	1	3	3	15
	organs and certain disorders involving	F	0	1	2	0	1	1	1	0	0	1	1	8
	the immune mechanism (D50-D89)	T	0	4	2	2	2	2	2	0	1	4	4	23
1	Thalassaemia	M	0	0	0	0	0	0	0	0	0	0	0	0
	(D56)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Other anaemias	M	0	2	0	1	0	1	1	0	0	2	2	9
	(D50-D55,D57-D64)	F	0	1	1	0	0	0	1	0	0	1	1	5
		T	0	3	1	1	0	1	2	0	0	3	3	14
3	All other diseases of blood and blood-forming	M	0	1	0	1	1	0	0	0	1	1	1	6
	organs (D65-D76)	F	0	0	1	0	1	1	0	0	0	0	0	3
		T	0	1	1	1	2	1	0	0	1	1	1	9

4	Certain disorders involving the immune mechanism (D80-D89)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
IV.	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00-E89)	M	0	0	0	1	0	2	2	5	3	3	3	19
		F	0	0	0	0	0	0	1	2	3	1	2	9
		T	0	0	0	1	0	2	3	7	6	4	5	28
20	Malnutrition (E40-E46)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Kwashiorkor (E40)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Nutritional marasmus (E41)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other protein-energy malnutrition (E42-E46)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
21	Endocrine, other nutritional and metabolic diseases (E00-E34 & E50-E89)	M	0	0	0	1	0	2	2	5	3	3	3	19
		F	0	0	0	0	0	0	1	2	3	1	2	9
		T	0	0	0	1	0	2	3	7	6	4	5	28
1	Disorders of thyroid gland (E00-E07)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0

		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Diabetes mellitus	M	0	0	0	0	0	2	2	3	3	2	2	14
	(E10-E14)	F	0	0	0	0	0	0	1	2	2	1	1	7
		T	0	0	0	0	0	2	3	5	5	3	3	21
3	All other nutritional deficiencies	M	0	0	0	0	0	0	0	1	0	0	1	2
	(E50-E64)	F	0	0	0	0	0	0	0	0	0	0	1	1
		T	0	0	0	0	0	0	0	1	0	0	2	3
4	All other endocrine and metabolic diseases	M	0	0	0	1	0	0	0	1	0	1	0	3
	(E15-E34 & E65-E89)	F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	1	0	0	0	1	1	1	0	4
V.	MENTAL AND BEHAVIOURAL DISORDERS	M	0	0	0	0	0	0	0	0	0	0	0	0
	(F01-F99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
22	Mental and behavioural disorders	M	0	0	0	0	0	0	0	0	0	0	0	0
	(F01-F99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Mental and behavioural disorders due to psychoactive substance use (F10-F19)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Schizophrenia, schizotypal & delusional disorders (F20-F29)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0

		T	0	0	0	0	0	0	0	0	0	0	0	0
3	All other mental and behavioural disorders (F01-F09,F30-F99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
VI.	DISEASES OF THE NERVOUS SYSTEM (G00-G98)	M	0	1	0	1	0	3	4	4	6	8	3	30
		F	0	0	0	1	0	1	0	3	4	3	4	16
		T	0	1	0	2	0	4	4	7	10	11	7	46
23	Inflammatory diseases of the central nervous system (G00-G09)	M	0	1	0	1	0	2	3	2	3	4	2	18
		F	0	0	0	1	0	1	0	2	3	0	2	9
		T	0	1	0	2	0	3	3	4	6	4	4	27
1	Meningitis (G00 & G03)	M	0	1	0	1	0	0	2	1	1	2	1	9
		F	0	0	0	1	0	0	0	1	2	0	1	5
		T	0	1	0	2	0	0	2	2	3	2	2	14
2	Encephalitis,myelitis and encephalomyelitis (G04)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other inflammatory diseases of the central nervous system (G06,G08-G09)	M	0	0	0	0	0	2	1	1	2	2	1	9
		F	0	0	0	0	0	1	0	1	1	0	1	4
		T	0	0	0	0	0	3	1	2	3	2	2	13
24	Other diseases of the nervous system (G10-G98)	M	0	0	0	0	0	1	1	2	3	4	1	12
		F	0	0	0	0	0	0	0	1	1	3	2	7
		T	0	0	0	0	0	1	1	3	4	7	3	19

1	Alzheimer's disease	M	0	0	0	0	0	0	0	0	2	1	2	0	5
	(G30)	F	0	0	0	0	0	0	0	0	1	0	1	1	3
		T	0	0	0	0	0	0	0	0	3	1	3	1	8
2	Epilepsy	M	0	0	0	0	0	0	0	0	0	0	0	0	0
	(G40-G41)	F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the nervous system	M	0	0	0	0	0	1	1	0	2	2	1		7
	(G10-G25,G31,G35-G37,G43-G98)	F	0	0	0	0	0	0	0	0	1	2	1		4
		T	0	0	0	0	0	1	1	0	3	4	2		11
VII.	DISEASES OF THE EYE AND ADNEXA	M	0	0	0	0	0	0	0	0	0	0	0	0	0
	(H00-H59)	F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
25	Disease of the eye and adnexa	M	0	0	0	0	0	0	0	0	0	0	0	0	0
	(H00-H59)	F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
1	Disease of the eye and adnexa	M	0	0	0	0	0	0	0	0	0	0	0	0	0
	(H00-H59)	F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
VIII.	DISEASES OF THE EAR AND MASTOID PROCESS	M	0	0	0	0	0	0	0	0	0	0	0	0	0
	(H60-H95)	F	0	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Diseases of the ear and mastoid process	M	0	0	0	0	0	0	0	0	0	0	0	0	0

	(H60-H93)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Diseases of the ear and mastoid process	M	0	0	0	0	0	0	0	0	0	0	0	0
	(H60-H93)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
IX.	DISEASES OF THE CIRCULATORY SYSTEM	M	0	1	1	0	3	2	7	7	9	7	1	38
	(100-199)	F	0	2	0	0	0	2	2	4	3	4	1	18
		T	0	3	1	0	3	4	9	11	12	11	2	56
27	Acute rheumatic fever and chronic	M	0	0	0	0	0	0	0	0	0	0	0	0
	rheumatic heart diseases (100-109)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Acute rheumatic fever	M	0	0	0	0	0	0	0	0	0	0	0	0
	(100-102)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Chronic rheumatic heart diseases	M	0	0	0	0	0	0	0	0	0	0	0	0
	(105-109)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
28	Hypertensive diseases	M	0	0	0	0	1	1	3	3	5	4	1	18
	(110-115)	F	0	0	0	0	0	1	1	2	2	2	1	9
		T	0	0	0	0	1	2	4	5	7	6	2	27
1	Hypertensive heart disease	M	0	0	0	0	0	1	2	2	3	2	0	10

	(I11)	F	0	0	0	0	0	0	1	2	1	1	1	6
		T	0	0	0	0	0	1	3	4	4	3	1	16
2	All other hypertensive diseases	M	0	0	0	0	1	0	1	1	2	2	1	8
	(I10, I12-I15)	F	0	0	0	0	0	1	0	0	1	1	0	3
		T	0	0	0	0	1	1	1	1	3	3	1	11
29	Ischaemic heart diseases	M	0	0	0	0	1	0	3	3	3	1	0	11
	(I20-I25)	F	0	0	0	0	0	1	1	1	0	2	0	5
		T	0	0	0	0	1	1	4	4	3	3	0	16
1	Acute myocardial infarction	M	0	0	0	0	0	0	1	2	2	1	0	6
	(I21-I22)	F	0	0	0	0	0	0	1	0	0	1	0	2
		T	0	0	0	0	0	0	2	2	2	2	0	8
2	All other ischaemic heart diseases	M	0	0	0	0	1	0	2	1	1	0	0	5
	(I20 & I23-I25)	F	0	0	0	0	0	1	0	1	0	1	0	3
		T	0	0	0	0	1	1	2	2	1	1	0	8
30	Diseases of pulmonary circulation and	M	0	1	1	0	1	1	1	1	1	2	0	9
	other forms of heart disease (I26-I51)	F	0	2	0	0	0	0	0	1	1	0	0	4
		T	0	3	1	0	1	1	1	2	2	2	0	13
1	Pulmonary heart disease and diseases	M	0	1	0	0	1	0	0	1	0	1	0	4
	of pulmonary circulation (I26-I28)	F	0	1	0	0	0	0	0	0	1	0	0	2
		T	0	2	0	0	1	0	0	1	1	1	0	6
2	Other forms of heart diseases	M	0	0	1	0	0	1	1	0	1	1	0	5
	(I30-I51)	F	0	1	0	0	0	0	0	1	0	0	0	2

		T	0	1	1	0	0	1	1	1	1	1	0	7
31	Cerebrovascular diseases	M	0	0	0	0	0	0	0	0	0	0	0	0
	(I60-I69)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Cerebrovascular diseases	M	0	0	0	0	0	0	0	0	0	0	0	0
	(I60-I69)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
32	Other diseases of the circulatory system (I70-I99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Atherosclerosis (I70)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Arterial embolism and thrombosis (I74)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other diseases of arteries, arterioles & capillaries (I71-I73 & I77-I78)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

5	All other diseases of the circulatory system	M	0	0	0	0	0	0	0	0	0	0	0	0
	(I83-I99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
X.	DISEASES OF THE RESPIRATORY SYSTEM	M	5	2	0	1	0	1	0	1	0	5	1	16
	(J00-J98)	F	2	2	0	0	0	0	1	0	1	2	2	10
		T	7	4	0	1	0	1	1	1	1	7	3	26
33	Diseases of the upper respiratory tract	M	2	1	0	1	0	0	0	0	0	2	0	6
	(J00-J06 & J30-J39)	F	1	1	0	0	0	0	0	0	1	1	0	4
		T	3	2	0	1	0	0	0	0	1	3	0	10
1	Acute pharyngitis and acute tonsillitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(J02-J03)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Acute laryngitis and tracheitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(J04)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other acute upper respiratory infections	M	1	0	0	0	0	0	0	0	0	1	0	2
	(J00-J01 & J05-J06)	F	1	0	0	0	0	0	0	0	0	0	0	1
		T	2	0	0	0	0	0	0	0	0	1	0	3
4	All other diseases of upper respiratory tract	M	1	1	0	1	0	0	0	0	0	1	0	4
	(J30-J39)	F	0	1	0	0	0	0	0	0	1	1	0	3
		T	1	2	0	1	0	0	0	0	1	2	0	7

34	Lower respiratory diseases	M	1	0	0	0	0	1	0	1	0	1	0	4
	(J20-J22 & J40-J47)	F	0	0	0	0	0	0	1	0	0	0	1	2
		T	1	0	0	0	0	1	1	1	0	1	1	6
1	Acute bronchitis and acute bronchiolitis	M	1	0	0	0	0	0	0	0	0	0	0	1
	(J20-J21)	F	0	0	0	0	0	0	0	0	0	0	1	1
		T	1	0	0	0	0	0	0	0	0	0	1	2
2	Bronchitis, chronic and unspecified, emphysema	M	0	0	0	0	0	0	0	0	0	0	0	0
	(J40-J43)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Asthma	M	0	0	0	0	0	1	0	1	0	1	0	3
	(J45-J46)	F	0	0	0	0	0	0	1	0	0	0	0	1
		T	0	0	0	0	0	1	1	1	0	1	0	4
4	Other lower respiratory disorders	M	0	0	0	0	0	0	0	0	0	0	0	0
	(J22, J44 & J47)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
35	Other diseases of the respiratory system	M	2	1	0	0	0	0	0	0	0	2	1	6
	(J10-J18, J60-J98)	F	1	1	0	0	0	0	0	0	0	1	1	4
		T	3	2	0	0	0	0	0	0	0	3	2	10
1	Influenza	M	0	0	0	0	0	0	0	0	0	0	0	0
	(J10-J11)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Pneumonia	M	2	1	0	0	0	0	0	0	0	2	0	5
	(J12-J18)	F	1	1	0	0	0	0	0	0	0	1	1	4

Civil Registration System in Nagaland Annual Report 2022

		T	3	2	0	0	0	0	0	0	0	3	1	9
3	Pleurisy	M	0	0	0	0	0	0	0	0	0	0	0	0
	(J90)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of the respiratory system	M	0	0	0	0	0	0	0	0	0	0	1	1
	(J60-J86,J92-J98.)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	1	1
XI.	DISEASES OF THE DIGESTIVE SYSTEM	M	0	0	0	0	2	1	3	2	3	0	0	11
	(K00-K92)	F	0	0	0	0	0	1	1	1	1	1	0	5
		T	0	0	0	0	2	2	4	3	4	1	0	16
36	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Diseases of oral cavity, salivary glands and jaws (K00-K14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
37	Diseases of the other parts of digestive system (K20-K92)	M	0	0	0	0	2	1	3	2	3	0	0	11
		F	0	0	0	0	0	1	1	1	1	1	0	5
		T	0	0	0	0	2	2	4	3	4	1	0	16
1	Gastric and duodenal ulcer (K25-K27)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

2	Gastritis and duodenitis	M	0	0	0	0	1	0	1	1	1	0	0	4
	(K29)	F	0	0	0	0	0	0	0	1	0	0	0	1
		T	0	0	0	0	1	0	1	2	1	0	0	5
3	Diseases of appendix	M	0	0	0	0	0	0	0	0	0	0	0	0
	(K35-K38)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Hernia	M	0	0	0	0	0	0	0	0	0	0	0	0
	(K40-K46)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Paralytic ileus and intestinal obstruction	M	0	0	0	0	0	0	0	0	0	0	0	0
	without hernia (K56)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Peritonitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(K65)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Diseases of the liver	M	0	0	0	0	1	1	2	1	2	0	0	7
	(K70-K76)	F	0	0	0	0	0	1	1	0	1	1	0	4
		T	0	0	0	0	1	2	3	1	3	1	0	11
8	Cholelithiasis and cholecystitis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(K80-K81)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	Disorders of the pancreas	M	0	0	0	0	0	0	0	0	0	0	0	0
	(K85-K86)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

10	All other diseases of the other parts of digestive	M	0	0	0	0	0	0	0	0	0	0	0	0
	system (K20-K22,K28,K30-K31,K50-K55,K57-K63,	F	0	0	0	0	0	0	0	0	0	0	0	0
	K66,K82-K83 & K90-K92)	T	0	0	0	0	0	0	0	0	0	0	0	0
XII.	DISEASES OF THE SKIN AND SUBCUTANEOUS	M	0	0	0	0	0	0	0	0	0	0	0	0
	TISSUE (L00-L98)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
38	Diseases of the skin and	M	0	0	0	0	0	0	0	0	0	0	0	0
	subcutaneous tissue (L00-L98)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Infections of the skin and	M	0	0	0	0	0	0	0	0	0	0	0	0
	subcutaneous tissue (L00-L08)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of the skin and	M	0	0	0	0	0	0	0	0	0	0	0	0
	subcutaneous tissue (L10-L98)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XIII.	DISEASES OF THE MUSCULOSKELETAL SYSTEM	M	0	0	0	0	0	0	0	0	0	0	0	0
	AND CONNECTIVE TISSUE (M00-M99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
39	Diseases of the musculoskeletal system	M	0	0	0	0	0	0	0	0	0	0	0	0
	and connective tissue (M00-M99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

1	Rheumatoid arthritis and other inflammatory polyarthropathies(M05-M13)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Osteomyelitis (M86)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the musculoskeletal system and connective tissue (M00-M02, M15-M85,M87-M99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XIV.	DISEASES OF THE GENITOURINARY SYSTEM (N00-N99)	M	0	0	0	0	1	1	1	3	1	2	1	10
		F	0	0	0	0	0	0	1	0	3	0	1	5
		T	0	0	0	0	1	1	2	3	4	2	2	15
40	Diseases of urinary system (N00-N39)	M	0	0	0	0	1	1	1	3	1	2	1	10
		F	0	0	0	0	0	0	1	0	3	0	1	5
		T	0	0	0	0	1	1	2	3	4	2	2	15
1	Glomerular diseases (including Nephritic Synodrome) (N00-N07)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Renal tubulo-interstitial diseases (N10-N15)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

3	Renal failure	M	0	0	0	0	0	1	0	1	0	1	0	3
	(N17-N19)	F	0	0	0	0	0	0	1	0	1	0	0	2
		T	0	0	0	0	0	1	1	1	1	1	0	5
4	Urolithiasis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(N20-N23)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Other disorders of kidney and ureter	M	0	0	0	0	0	0	1	1	1	1	1	5
	(N25-N28)	F	0	0	0	0	0	0	0	0	1	0	1	2
		T	0	0	0	0	0	0	1	1	2	1	2	7
6	All other diseases of urinary system	M	0	0	0	0	1	0	0	1	0	0	0	2
	(N30-N39)	F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	0	1	0	0	1	1	0	0	3
41	Other diseases of the genitourinary system	M	0	0	0	0	0	0	0	0	0	0	0	0
	(N40-N99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Hyperplasia of prostate	M	0	0	0	0	0	0	0	0	0	0	0	0
	(N40)	T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other diseases of male genital organs	M	0	0	0	0	0	0	0	0	0	0	0	0
	(N41-N50)	T	0	0	0	0	0	0	0	0	0	0	0	0
3	Salpingitis and oophoritis	F	0	0	0	0	0	0	0	0	0	0	0	0
	(N70)	T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other diseases of female genital organs	F	0	0	0	0	0	0	0	0	0	0	0	0

	(N60-N64 & N71-N99)	T	0	0	0	0	0	0	0	0	0	0	0	0
XV.	PREGNANCY, CHILDBIRTH AND THE	F	0	0	0	0	0	0	0	0	0	0	0	0
	PUERPERIUM (000-099)	T	0	0	0	0	0	0	0	0	0	0	0	0
42	Pregnancy with abortive outcome	F	0	0	0	0	0	0	0	0	0	0	0	0
	(000-008)	T	0	0	0	0	0	0	0	0	0	0	0	0
1	Spontaneous abortion	F	0	0	0	0	0	0	0	0	0	0	0	0
	(003)	T	0	0	0	0	0	0	0	0	0	0	0	0
2	Medical abortion	F	0	0	0	0	0	0	0	0	0	0	0	0
	(004)	T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other pregnancies with abortive outcome	F	0	0	0	0	0	0	0	0	0	0	0	0
	(000-002 & 005-008)	T	0	0	0	0	0	0	0	0	0	0	0	0
43	Other direct obstetric deaths	F	0	0	0	0	0	0	0	0	0	0	0	0
	(010-092)	T	0	0	0	0	0	0	0	0	0	0	0	0
1	Oedema, proteinuria and hypertensive disorders in	F	0	0	0	0	0	0	0	0	0	0	0	0
	pregnancy, childbirth and the puerperium (010-016)	T	0	0	0	0	0	0	0	0	0	0	0	0
2	Infections of genitourinary tract in pregnancy	F	0	0	0	0	0	0	0	0	0	0	0	0
	(023)	T	0	0	0	0	0	0	0	0	0	0	0	0
3	Obstructed labour	F	0	0	0	0	0	0	0	0	0	0	0	0
	(064-066)	T	0	0	0	0	0	0	0	0	0	0	0	0

4	Complications pre-dominantly related	F	0	0	0	0	0	0	0	0	0	0	0	0
	to the puerperium (085-092)	T	0	0	0	0	0	0	0	0	0	0	0	0
5	Other complications of pregnancy and delivery	F	0	0	0	0	0	0	0	0	0	0	0	0
	(020-022,024-063 & 067-084)	T	0	0	0	0	0	0	0	0	0	0	0	0
44	Other obstetric conditions, not elsewhere	F	0	0	0	0	0	0	0	0	0	0	0	0
	classified (095-099)	T	0	0	0	0	0	0	0	0	0	0	0	0
1	Indirect obstetric deaths	F	0	0	0	0	0	0	0	0	0	0	0	0
	(098-099)	T	0	0	0	0	0	0	0	0	0	0	0	0
2	All other obstetric conditions, not elsewhere	F	0	0	0	0	0	0	0	0	0	0	0	0
	classified (095-097)	T	0	0	0	0	0	0	0	0	0	0	0	0
XVI.	CERTAIN CONDITIONS ORIGINATING IN THE	M	2	0	0	0	0	0	0	0	0	0	0	2
	PERINATAL PERIOD (P00 -P96)	F	1	0	0	0	0	0	0	0	0	0	0	1
		T	3	0	0	0	0	0	0	0	0	0	0	3
45	Certain conditions originating in the	M	2	0	0	0	0	0	0	0	0	0	0	2
	perinatal period (P00-P96)	F	1	0	0	0	0	0	0	0	0	0	0	1
		T	3	0	0	0	0	0	0	0	0	0	0	3
1	Slow fetal growth, fetal malnutrition and	M	1	0	0	0	0	0	0	0	0	0	0	1
	immaturity (P05-P07)	F	1	0	0	0	0	0	0	0	0	0	0	1
		T	2	0	0	0	0	0	0	0	0	0	0	2

2	Birth trauma	M	0	0	0	0	0	0	0	0	0	0	0	0
	(P10-P15)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Hypoxia, birth asphyxia and other	M	1	0	0	0	0	0	0	0	0	0	0	1
	respiratory conditions (P20-P28)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	1	0	0	0	0	0	0	0	0	0	0	1
4	Haemolytic disease of fetus and new-born	M	0	0	0	0	0	0	0	0	0	0	0	0
	(P55)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Other perinatal jaundice	M	0	0	0	0	0	0	0	0	0	0	0	0
	(P58-P59)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	All other conditions originating in the perinatal period	M	0	0	0	0	0	0	0	0	0	0	0	0
	(P00-P04,P08,P29-P54,P56-P57,P60-P96.)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XVII.	CONGENITAL MALFORMATIONS, DEFORMATIONS	M	0	0	0	0	0	0	0	0	0	0	0	0
	AND CHROMOSOMAL ABNORMALITIES (Q00-Q99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
46	Congenital malformations, deformations and	M	0	0	0	0	0	0	0	0	0	0	0	0
	chromosomal abnormalities (Q00-Q99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

1	Spina bifida	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Q05)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Congenital malformations of the circulatory system	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Q20-Q28)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Cleft lip and cleft palate	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Q35-Q37)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	All other congenital malformations, deformations and	M	0	0	0	0	0	0	0	0	0	0	0	0
	chromosomal abnormalities, not elsewhere classified	F	0	0	0	0	0	0	0	0	0	0	0	0
	(Q00-Q04,Q06-Q18,Q30-Q34 & Q38-Q99)	T	0	0	0	0	0	0	0	0	0	0	0	0
XVIII.	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL	M	0	0	0	0	0	0	0	0	0	0	0	0
	AND LABORATORY FINDINGS,NOT ELSEWHERE	F	0	0	0	0	0	0	0	0	0	0	0	0
	CLASSIFIED (R00-R99)	T	0	0	0	0	0	0	0	0	0	0	0	0
47	Symptoms, signs and abnormal clinical and	M	0	0	0	0	0	0	0	0	0	0	0	0
	laboratory findings, not elsewhere classified (R00-R99)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Abdominal and pelvic pain	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R10)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

2	Ascites	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R18)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Somnolence, stupor and coma	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R40)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Fever of unknown origin	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R50)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Senility	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R54)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
6	Syncope and collapse	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R55)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
7	Convulsions, not elsewhere classified	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R56)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
8	Shock, not elsewhere classified	M	0	0	0	0	0	0	0	0	0	0	0	0
	(R57)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
9	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R09,	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0

Civil Registration System in Nagaland Annual Report 2022

	R11-R17,R19-R39,R41-R49,R51-R53,R58-R99)	T	0	0	0	0	0	0	0	0	0	0	0	0
XIX.	INJURY, POISONING AND CERTAIN OTHER	M	2	2	0	0	1	1	2	1	3	2	2	16
	CONSEQUENCES OF EXTERNAL CAUSES (S00-T98)	F	1	1	0	0	0	1	1	2	1	1	1	9
		T	3	3	0	0	1	2	3	3	4	3	3	25
48	Fractures (S02,S12,S22,S32,S42,S52,	M	2	2	0	0	0	1	0	0	1	1	1	8
	S62,S72,S82,S92,T02,T08,T10 & T12)	F	1	1	0	0	0	0	1	0	0	1	0	4
		T	3	3	0	0	0	1	1	0	1	2	1	12
1	Fracture of skull and facial bones	M	0	0	0	0	0	0	0	0	0	0	0	0
	(S02)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Fracture of neck, thorax or pelvis	M	0	0	0	0	0	0	0	0	0	0	0	0
	(S12,S22,S32 & T08)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Fracture of upper limb	M	1	1	0	0	0	0	0	0	0	1	0	3
	(S42,S52,S62 & T10)	F	1	0	0	0	0	0	0	0	0	0	0	1
		T	2	1	0	0	0	0	0	0	0	1	0	4
4	Fractures of lower limb	M	0	0	0	0	0	0	0	0	0	0	0	0
	(S72,S82,S92 & T12)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Fractures involving multiple body regions ,	M	1	1	0	0	0	1	0	0	1	0	1	5

	and of unspecified body region (T02)	F	0	1	0	0	0	0	1	0	0	1	0	3
		T	1	2	0	0	0	1	1	0	1	1	1	8
49	Dislocations, sprains and strains of specified and	M	0	0	0	0	0	0	1	0	1	1	0	3
	multiple body regions (S03,S13,S23,S33,S43,S53,	F	0	0	0	0	0	0	0	1	1	0	0	2
	S63,S73,S83,S93,T03)	T	0	0	0	0	0	0	1	1	2	1	0	5
50	Intracranial and internal injuries, including nerves	M	0	0	0	0	1	0	1	1	1	0	1	5
	(S04,S06,S14,S24,S26-S27,S34,S36-S37,S44,S54,	F	0	0	0	0	0	1	0	1	0	0	1	3
	S64,S74,S84 & S94)	T	0	0	0	0	1	1	1	2	1	0	2	8
51	Crushing injuries and traumatic amputations of specified and multiple body regions (S07-S08,S17-S18,S28,S38,S47-S48,S57-S58,S67-S68,S77-S78,S87-S88,S97-S98,T04-T05)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
52	Other injuries of specified,unspecified and multiple body regions (S00-S01,S05,S09-S11,S15-S16,S19-S21,S25,S29-S31,S35,S39-S41,S45-S46,S49-S51,S55-S56,S59-S61,S65-S66,S69-S71,S75-S76,S79-S81,S85-S86,S89-S91,S95-S96,S99,T00-T01,T06-T07,T09,T11,T13-T14)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
53	Effects of foreign body entering through	M	0	0	0	0	0	0	0	0	0	0	0	0
	natural orifice (T15-T19)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

54	Burns and Corrosions	M												0
	(T20-T32)	F												0
		T	0	0	0	0	0	0	0	0	0	0	0	0
55	Poisonings by drugs & biological substances; and	M	0	0	0	0	0	0	0	0	0	0	0	0
	Toxic effects of substances chiefly nonmedicinal	F	0	0	0	0	0	0	0	0	0	0	0	0
	as to source (T36-T50 & T51-T65)	T	0	0	0	0	0	0	0	0	0	0	0	0
56	Other and unspecified effects of external causes	M	0	0	0	0	0	0	0	0	0	0	0	0
	and certain early complications of trauma	F	0	0	0	0	0	0	0	0	0	0	0	0
	(T33-T35,T66-T79)	T	0	0	0	0	0	0	0	0	0	0	0	0
57	Complications of Surgical and Medical care,	M	0	0	0	0	0	0	0	0	0	0	0	0
	not elsewhere classified (T80-T88)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
58	Late effects of injuries, of poisoning and of other	M	0	0	0	0	0	0	0	0	0	0	0	0
	consequences of external causes (T90-T98)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
XX.	EXTERNAL CAUSES OF MORBIDITY	M	0	0	0	0	0	0	0	0	0	0	0	0
	AND MORTALITY (V01-Y89)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E48	Transport accidents	M	0	0	0	0	0	0	0	0	0	0	0	0
	(V01-V99)	F	0	0	0	0	0	0	0	0	0	0	0	0

		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Railway accidents	M	0	0	0	0	0	0	0	0	0	0	0	0
	(V05,V15,V80.6,V81, V82.2, V87.6 & V88.6)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Motor vehicle traffic accidents (V02-V04,V09.2-V09.3,V12-V14,V19.4-V19.6,V19.9,V20-V28,V29.4-V29.6,V29.9, V30-V38,V39.4-V39.6,V39.9,V40-V48,V49.4-V49.6,V49.9, V50-V58,V59.4-V59.6,V59.9,V60-V68,V69.4-V69.6,V69.9, V70-V78,V79.4-V79.6,V79.9,V80.3-V80.5,V82.1,V87.0-V87.5,V87.7-V87.9,V89.2-V89.3)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Other road vehicle accidents (V01,V06,V09.9,V10-V11, V16-V18,V19.8,V29.8,V39.8,V49.8,V59.8,V69.8,V79.8, V80.0-V80.2,V80.7-V80.9, V82.3-V82.7, V82.9 & V89.1)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Water transport accidents (V90-V94)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	Air & Space transport accidents (V95-V97)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0

6	All other transport accidents (V09.0-V09.1,V19.0-V19.3,V29.0-V29.3,V39.0-V39.3,V49.0-V49.3,V59.0-V59.3,V69.0-V69.3, V79.0-V79.3, V82.0, V82.8, V83-V86,V88.0-V88.5,V88.7-V88.9,V89.0,V89.9,V98-V99)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E49	Accidental Falls	M	0	0	0	0	0	0	0	0	0	0	0	0
	(W00-W19)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E50	Accidental drowning and submersion	M	0	0	0	0	0	0	0	0	0	0	0	0
	(W65-W74)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E51	Exposure to smoke, fire and flames	M	0	0	0	0	0	0	0	0	0	0	0	0
	(X00-X09)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E52	Accidental poisoning by and exposure	M	0	0	0	0	0	0	0	0	0	0	0	0
	to noxious substances (X40-X49)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E53	Intentional self-harm (Suicide-attempted)	M	0	0	0	0	0	0	0	0	0	0	0	0
	(X60-X84)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E54	Assault (Homicide)	M	0	0	0	0	0	0	0	0	0	0	0	0
	(X85-Y09)	F	0	0	0	0	0	0	0	0	0	0	0	0

		T	0	0	0	0	0	0	0	0	0	0	0	0
E55	Other Violence	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Y10-Y36)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Event of undetermined intent	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Y10-Y34)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Legal intervention	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Y35)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Operations of war	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Y36)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E56	Complications of medical and surgical care	M	0	0	0	0	0	0	0	0	0	0	0	0
	(Y40-Y84)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Drugs,medicaments and biological substances	M	0	0	0	0	0	0	0	0	0	0	0	0
	causing adverse effects in therapeutic use (Y40-Y59)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Misadventures during surgical & medical care,adverse incidents in diagnostic and therapeutic use, abnormal reactions and late complications (Y60-Y69,Y70-Y82 & Y83-Y84)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0

		T	0	0	0	0	0	0	0	0	0	0	0	0
E57	Other external causes of accidental injury, not elsewhere classified (W20-W64,W75-W99, X10-X39,X50-X59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
1	Accidents caused by machinery, and by cutting & piercing instruments (W24-W31)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
2	Accidents caused by firearm missile (W32-W34)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
3	Bites of snakes & other venomous animals (X20-X27)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
4	Sun stroke (X32)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
5	All other accidents including late effects (W20-W23,W35-W64, W75-W99,X10-X19, X28-X31, X33-X39 & X50-X59)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
E58	Late effects of external causes of morbidity and mortality (Y85-Y89)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0

Civil Registration System in Nagaland Annual Report 2022

		T	0	0	0	0	0	0	0	0	0	0	0	0
	ALL CAUSES (MAJOR GROUP I to XIX)	M	10	10	3	9	14	20	27	34	32	38	22	219
		F	4	7	3	2	4	9	13	16	23	18	15	114
		T	14	17	6	11	18	29	40	50	55	56	37	333
	ALL CAUSES (MAJOR GROUP I to XX)	M	10	10	3	9	14	20	27	34	32	38	22	219
		F	4	7	3	2	4	9	13	16	23	18	15	114
		T	14	17	6	11	18	29	40	50	55	56	37	333
XXII.	Codes for Special Purposes	M	0	0	0	0	1	0	2	2	1	2	1	9
	(U00-U49)	F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	0	1	0	2	2	2	2	1	10
	Provisional Assignment of New Diseases of Uncertain Etiology or Emergency Use	M	0	0	0	0	1	0	2	2	1	2	1	9
	(U01-U49)	F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	0	1	0	2	2	2	2	1	10
1	COVID-19, Virus Identified	M	0	0	0	0	1	0	2	2	1	2	1	9
	(U07.1)	F	0	0	0	0	0	0	0	0	1	0	0	1
		T	0	0	0	0	1	0	2	2	2	2	1	10
2	COVID-19, Virus not Identified	M	0	0	0	0	0	0	0	0	0	0	0	0
	(U07.2)	F	0	0	0	0	0	0	0	0	0	0	0	0
		T	0	0	0	0	0	0	0	0	0	0	0	0
	ALL CAUSES (MAJOR GROUP I to XIX and XXII)	M	10	10	3	9	15	20	29	36	33	40	23	228
		F	4	7	3	2	4	9	13	16	24	18	15	115
		T	14	17	6	11	19	29	42	52	57	58	38	343
	ALL CAUSES (MAJOR GROUP I to XX & XXII)	M	10	10	3	9	15	20	29	36	33	40	23	228
		F	4	7	3	2	4	9	13	16	24	18	15	115
		T	14	17	6	11	19	29	42	52	57	58	38	343

Source: District Government Hospitals

Table 9 shows the Medically Certified Deaths by age and sex according to National List of Tenth Revision of ICD. A total of 343 Medically Certified Cause of Death (MCCD) reports were received during the year, of which 66.47 percent were male and 33.53 percent were female.

Majority of the deaths reported (16.91 percent) were within the age group of 70 years and above, followed by 16.62 percent within the age group of 65-69 years. The least number of deaths reported were in the age group of 5-14 years.

TABLE – 9.1
Age-wise death registered under the major groups of cause of death (A00-H95) in 2022

Sl. No	Code	Major Group of Cause of Death	Sex	< 1 year	1-4 year	5-14 Year	15-24 year	25-34 year	35-44 year	45-54 year	55-64 year	65-69 year	70 & above year	Not stated	Total
1	A00-B99	Infection and Parasitic Disease	M	1	1	1	3	5	4	3	6	3	5	7	39
			F	0	1	1	1	1	3	2	1	5	5	2	22
2	C00-D48	Neoplasms	M	0	0	1	1	1	4	4	5	3	3	1	23
			F	0	0	0	0	2	0	3	3	2	0	1	11
3	D50-D89	Disease of Blood & Blood forming Organs & Certain Disorder involving the Immune Mechanism	M	0	3	0	2	1	1	1	0	1	3	3	15
			F	0	1	2	0	1	1	1	0	0	1	1	8
4	E00-E89	Endocrine Nutritional & Metabolic Disease	M	0	0	0	1	0	2	2	5	3	3	3	19
			F	0	0	0	0	0	0	1	2	3	1	2	9
5	F01-F99	Mental & Behavior Disorder	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
6	G00-G98	Diseases of the Nervous System	M	0	1	0	1	0	3	4	4	6	8	3	30
			F	0	0	0	1	0	1	0	3	4	3	4	16
7	H00-H59	Diseases of the Eye & Adnexa	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0

8	H60-H95	Diseases of the Ear & Mastoid Process	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
		Total	M	1	5	2	8	7	14	14	20	16	22	17	126
			F	0	2	3	2	4	5	7	9	14	10	10	66
			T	1	7	5	10	11	19	21	29	30	32	27	192

Source: District Government Hospitals

Table 9.1 shows the age-wise death registered under the major groups of cause of death (A00-H95) in 2022. It can be inferred from the above table that, majority of the deaths i.e. 31.77 percent was caused by Infection and Parasitic Disease (A00-B99). The second major cause of death i.e. 23.96 percent was caused by diseases of the nervous system (G00-G98).

TABLE – 9.2
Age-wise death registered under major groups of cause of death (I00-T98) in 2022

Sl.No	Code	Major Group of Cause of Death	Sex	Below 1 year	1-4 year	5-14 Year	15-24 year	25-34 year	35-44 year	45-54 year	55-64 year	65-69 year	70 & above year	Not stated	Total
9	I00-I99	Diseases of the Circulatory System	M	0	1	1	0	3	2	7	7	9	7	1	38
			F	0	2	0	0	0	2	2	4	3	4	1	18
10	J00-J98	Diseases of the Respiratory System	M	5	2	0	1	0	1	0	1	0	5	1	16
			F	2	2	0	0	0	0	1	0	1	2	2	10
11	K00-K92	Diseases of the Digestive System	M	0	0	0	0	2	1	3	2	3	0	0	11
			F	0	0	0	0	0	1	1	1	1	1	0	5
12	L00-L98	Diseases of the Skin & Subcutaneous Tissue	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
13	M00-M99	Diseases of the Musculoskeletal System & Connective Tissue	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
14	N00-N99	Diseases of the Genitourinary System	M	0	0	0	0	1	1	1	3	1	2	1	10
			F	0	0	0	0	0	0	1	0	3	0	1	5

15	000-099	Pregnancy, Child-Birth & the Puerperium	F	0	0	0	0	0	0	0	0	0	0	0	0
16	P00-P96	Certain Conditions & Originating in the Perinatal Period	M	2	0	0	0	0	0	0	0	0	0	0	2
			F	1	0	0	0	0	0	0	0	0	0	0	1
17	Q00-Q99	Congenital Malformation, Deformation & Chromosomal Abnormalities	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
18	R00-R99	Symptoms, Signs & Abnormal Clinical and Laboratory findings, not elsewhere classified	M	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0
19	S00-T98	Injury, Poisoning Certain consequences of External Causes	M	2	2	0	0	1	1	2	1	3	2	2	16
			F	1	1	0	0	0	1	1	2	1	1	1	9
		Total	M	9	5	1	1	7	6	13	14	16	16	5	93
			F	4	5	0	0	0	4	6	7	9	8	5	48
			T	13	10	1	1	7	10	19	21	25	24	10	141

Source: District Government Hospitals

Table 9.2 shows the age-wise death registered under the major groups of cause of death (I00-T98) in 2022. The major cause of death among both male (40.86 percent) and female (37.5 percent) was 'Diseases of the Circulatory System' (I00-I99). The second major cause of death was 'Diseases of the Respiratory System' (J00-J98).

13. VITAL STATISTICS BY RELIGION

TABLE - 10
VITAL STATISTICS BY RELIGION DURING 2022

Sl. No.	District	Christians		Hindus		Muslims		Others		All Religions	
		Live Births	Deaths	Live Births	Deaths	Live Births	Deaths	Live Births	Deaths	Live Births	Deaths
1	Kohima	3722	438	77	30	45	2	0	0	3844	470
2	Phek	3159	190	47	6	5	1	1	0	3212	197

3	Mokokchung	2321	326	126	6	7	0	0	0	2454	332
4	Wokha	1199	87	23	0	5	0	0	0	1227	87
5	Zunheboto	6136	248	42	0	5	0	0	1	6183	249
6	Tuensang	11857	190	51	5	16	1	0	0	11924	196
7	Mon	18530	185	47	5	12	1	0	0	18589	191
8	Dimapur	20218	1323	4902	473	2019	72	76	6	27215	1874
9	Peren	2243	57	65	0	79	2	28	0	2415	59
10	Longleng	1542	104	1	1	2	1	0	0	1545	106
11	Kiphire	2202	59	3	0	0	0	0	0	2205	59
Nagaland(Total)		73129	3207	5384	526	2195	80	105	7	80813	3820

Source:- Data Received from Registrars of Births and Deaths

Table 10 shows the vital statistics by religion during 2022. The majority i.e. 90.49 percent of the live births were Christians followed by 6.66 percent Hindus, 2.72 percent Muslims and 0.13 percent belonging to other religions.

Among the deaths registered, 83.95 percent were Christian, 13.77 percent Hindus, 2.09 percent Muslims and 0.18 percent belonged to other religions.

14. VITAL STATISTICS BY MONTH AND SEX

TABLE- 11
VITAL STATISTICS BY MONTH AND SEX DURING 2022

Sl. No	Months	Births				Deaths				Infant Deaths				Total	
		Rural		Urban		Rural		Urban		Rural		Urban			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	January	1384	1638	1533	1599	23	18	202	62	0	0	0	0	3142	3317
2	February	2254	2140	1814	1893	70	29	246	88	0	0	0	3	4384	4153
3	March	2534	2517	1939	1880	48	33	171	72	0	0	2	2	4694	4504
4	April	1881	1844	1219	1211	51	18	167	77	0	0	0	0	3318	3150
5	May	1942	1842	1228	1291	87	28	195	82	0	0	0	0	3452	3243

6	June	1955	1720	1409	1295	57	18	214	85	0	0	0	0	3635	3118
7	July	1852	1503	1343	1233	37	26	208	79	0	0	0	0	3440	2841
8	August	3023	2877	1741	1829	40	23	227	77	0	0	0	0	5031	4806
9	September	2790	2691	1731	1763	45	15	159	63	0	0	0	1	4725	4533
10	October	1615	1672	1266	1307	35	12	117	52	0	0	1	0	3034	3043
11	November	1428	1266	1053	1074	47	19	188	56	0	0	0	0	2716	2415
12	December	889	941	975	989	10	8	93	33	0	0	1	0	1968	1971
Total		23547	22651	17251	17364	550	247	2187	826	0	0	4	6	43539	41094

Source:- Data Received from Registrars of Births and Deaths

Table 11 shows the vital statistics by month and sex during 2022. In the rural areas, the highest number of births (12.77 percent) was registered in the month of August, while the least amount of births (3.96 percent) were registered in the month of December.

In the urban areas, the highest number of births (11.03 percent) was registered in the month of March, while the least number of births (5.67 percent) were registered in the month of December.

15. LIVE BIRTHS BY BIRTH ORDER AND AGE OF MOTHER

TABLE - 12.1
LIVE BIRTHS BY BIRTH ORDER AND AGE OF MOTHER IN RURAL AREAS DURING 2022

Birth Order	Age of Mother									
	Below 15 Years	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Age Not Stated	All Ages
1	0	453	5998	3187	1300	213	57	8	8	11224
2	0	139	3774	4390	1661	370	46	9	11	10400
3	0	98	1679	4345	2084	598	64	22	7	8897
4	1	71	962	2643	2053	770	99	22	5	6626
5	0	29	520	1244	1451	688	111	25	3	4071

6	0	17	260	562	814	494	121	27	4	2299
7	0	7	115	234	351	334	107	14	6	1168
8	0	7	59	113	170	194	77	18	1	639
9	0	0	25	58	73	102	38	12	0	308
10	0	0	14	21	37	55	28	8	0	163
Above 10	0	0	4	9	8	6	8	8	1	44
Not Stated	0	3	24	36	25	10	4	4	253	359
Total	1	824	13434	16842	10027	3834	760	177	299	46198

Source: - Data Received from Registrars of Births and Deaths

Table 12.1 shows live births by birth order and age of mother in rural areas during 2022. Majority of the mothers in rural areas i.e. 36.46 percent fall within the age group of 25-29 years, followed by 29.08 percent in the age group of 20-24 years.

TABLE - 12.2
LIVE BIRTHS BY BIRTH ORDER AND AGE OF MOTHER IN URBAN AREAS DURING 2022

Birth Order	Age of Mother									
	Below 15 Years	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Age Not Stated	All Ages
1	0	181	5232	2907	5033	314	56	7	145	13875
2	0	50	1818	3173	1531	463	69	6	236	7346
3	0	24	621	2311	1488	447	71	18	209	5189
4	0	22	292	1132	960	384	65	17	142	3014
5	1	8	184	505	529	288	62	21	147	1745
6	0	4	83	207	247	195	49	16	93	894
7	0	3	31	84	136	136	33	12	35	470
8	0	2	14	47	67	82	24	8	38	282
9	0	0	12	16	33	35	16	2	21	135
10	0	0	3	8	14	12	8	4	4	53
Above 10	0	0	1	2	7	10	6	5	6	37
Not Stated	0	9	59	89	65	19	11	4	1319	1575
Total	1	303	8350	10481	10110	2385	470	120	2395	34615

Source:- Data Received from Registrars of Births and Deaths

Table 12.2 shows live births by birth order and age of mother in urban areas during 2022. Majority of the mothers in urban areas i.e. 30.28 percent fall within the age group of 25-29 years, followed by 29.21 percent in the age group of 30-34 years.

16. LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF MOTHER

TABLE - 13.1
LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF
MOTHER IN RURAL AREAS DURING 2022

Birth Order	Literacy of Mother				Total
	Literate				
	Illiterate	Below Matriculate	Matriculate/Higher Secondary/Equivalent	Graduate and Above	
1	2027	7897	1026	274	11224
2	1692	7487	895	326	10400
3	1470	6587	649	191	8897
4	1273	4803	448	102	6626
5	812	3018	218	23	4071
6	533	1608	141	17	2299
7	308	799	51	10	1168
8	193	410	35	1	639
9	77	216	12	3	308
10	45	102	16	0	163
Above 10	22	20	1	1	44
Not Stated	157	130	20	52	359
Total	8609	33077	3512	1000	46198

Source:- Data Received from Registrars of Births and Deaths

As shown in Table 13.1, 81.36 percent were literate, while 18.64 percent of the mothers were illiterate. Among the literate mothers, 71.60 percent were below matriculate, 7.60 percent were matriculate/higher secondary equivalent and 2.16 percent were graduate and above.

TABLE - 13.2
LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF
MOTHER IN URBAN AREAS DURING 2022

Birth Order	Literacy of Mother				
	Literate				Total
	Illiterate	Below Matriculate	Matriculate/Higher Secondary/Equivalent	Graduate and Above	
1	1474	8950	2182	1269	13875
2	1938	3387	1277	744	7346
3	1506	2459	846	378	5189
4	951	1477	455	131	3014
5	592	932	168	53	1745
6	339	446	96	13	894
7	169	243	54	4	470
8	92	164	23	3	282
9	57	68	10	0	135
10	18	30	5	0	53
Above 10	20	14	2	1	37
Not Stated	800	526	165	84	1575
Total	7956	18696	5283	2680	34615

Source:- Data Received from Registrars of Births and Deaths

Table 13.2 shows the live births by birth order and literacy of mothers in urban areas during 2022. In the urban areas, a majority of 77.02 percent of the mothers were literate, while 22.98 percent were illiterate. Overall, 54.01 percent of the mothers were below matriculate, 15.26 percent were matriculate/higher secondary/equivalent and 7.74 percent were graduate and above.

17. LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER

TABLE - 14.1
LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER IN
RURAL AREAS DURING 2022

Birth Order	Literacy of Father				
	Literate				
	Illiterate	Below Matriculate	Matriculate/Higher Secondary/Equivalent	Graduate and Above	Total
1	1862	7753	1224	385	11224
2	1545	7255	1143	457	10400
3	1331	6433	827	306	8897
4	1127	4674	665	160	6626
5	699	2970	339	63	4071
6	470	1587	204	38	2299
7	264	800	87	17	1168
8	152	427	54	6	639
9	60	206	38	4	308
10	37	105	19	2	163
Above 10	17	25	1	1	44
Not Stated	181	129	36	13	359
Total	7745	32364	4637	1452	46198

Source:- Data Received from Registrars of Births and Deaths

Table 14.1 shows the live births by birth order and literacy of fathers in rural areas during 2022. In the rural areas, 83.24 percent of the fathers were literate with 70.05 percent below matriculate, 10.04 percent matriculate/higher secondary/equivalent and 3.14 percent graduate and above. Only 16.76 percent of the fathers were illiterate.

TABLE - 14.2
LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER IN URBAN
AREAS DURING 2022

Birth Order	Literacy of Father				
	Literate				
	Illiterate	Below Matriculate	Matriculate/Higher Secondary/Equivalent	Graduate and Above	Total
1	1394	8512	2408	1561	13875
2	1782	3227	1372	965	7346
3	1344	2427	880	538	5189
4	807	1452	489	266	3014
5	538	869	211	127	1745
6	314	404	106	70	894
7	155	218	65	32	470
8	83	138	42	19	282
9	52	59	15	9	135
10	19	28	5	1	53
Above 10	19	10	5	3	37
Not Stated	777	516	188	94	1575
Total	7284	17860	5786	3685	34615

Source:- Data Received from Registrars of Births and Deaths

Table 14.2 shows the live births by birth order and literacy of fathers in urban areas during 2022. In the urban areas, 78.96 percent of the fathers were literate with 51.60 percent below matriculate, 16.72 percent matriculate/higher secondary/equivalent and 10.65 percent graduate and above. Only 21.04 percent of the fathers were illiterate.

18. LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER

TABLE - 15.1
LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER IN
RURAL AREAS DURING 2022

Birth Order	Professional Technical & Related Workers	Administrative Executive & Managerial Workers	Clerical Workers	Sales Workers	Farmers, Fishermen, Hunters, Loggers etc and Related Workers	Production & Other Related workers Transport Equipment Operators & Labourers	Others whose Occupation is Not Else Where Classified	Non-Workers	Service Workers	Total
1	505	35	48	54	1854	692	916	6155	965	11224
2	366	138	63	472	2871	993	566	4037	894	10400
3	167	32	46	38	2163	1228	430	4039	754	8897
4	237	51	24	109	1286	702	462	3132	623	6626
5	102	23	16	42	551	608	474	1837	418	4071
6	61	45	24	64	580	222	130	1004	169	2299
7	22	4	3	10	199	126	88	611	105	1168
8	21	4	2	9	148	42	52	330	31	639
9	6	1	2	2	68	27	26	154	22	308
10	0	0	0	1	43	18	17	61	23	163
Above 10	0	0	0	1	16	0	6	19	2	44
Not Stated	18	0	0	2	132	13	38	123	33	359
Total	1505	333	228	804	9911	4671	3205	21502	4039	46198

Source:- Data Received from Registrars of Births and Deaths

Table 15.1 shows the live birth order and occupation of father in rural areas during 2022. As observed in the table above, 46.54 percent of the fathers are non-workers, while 53.46 percent are engaged in some occupation. Majority of the fathers i.e. 21.45 percent are engaged as farmers, fishermen, hunters, loggers etc and related workers.

TABLE - 15.2
LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER IN URBAN AREAS DURING 2022

Birth Order	Professional Technical & Related Workers	Administrative Executive & Managerial Workers	Clerical Workers	Sales Workers	Farmers, Fishermen, Hunters, Loggers etc and Related Workers	Production & Other Related workers Transport Equipment Operators & Labourers	Others whose Occupation is Not Else Where Classified	Non-Workers	Service Workers	Total
1	295	89	120	498	1410	1027	2648	5181	2607	13875
2	256	72	59	187	784	439	2125	2298	1126	7346
3	122	48	36	134	560	447	1325	1645	872	5189
4	81	25	31	71	291	182	563	1287	483	3014
5	91	11	18	52	198	69	300	789	217	1745
6	28	11	3	33	107	77	118	424	93	894
7	7	0	0	7	70	11	92	219	64	470
8	27	7	3	10	52	8	33	118	24	282
9	8	3	0	13	23	6	17	53	12	135
10	0	0	0	0	11	1	8	30	3	53
Above 10	0	0	0	0	4	0	7	16	10	37
Not Stated	23	14	21	59	117	132	428	744	37	1575
Total	938	280	291	1064	3627	2399	7664	12804	5548	34615

Source:- Data Received from Registrars of Births and Deaths

Table 15.2 shows the live birth order and occupation of father in urban areas during 2022. In the urban areas, 63.01 percent of the fathers were workers, while 36.99 percent were non-workers. Among the workers, 22.14 percent were engaged in other occupation not elsewhere classified followed by 16.03 percent service workers and 10.48 percent farmers, fishermen, hunters, loggers etc and related workers.

19. LIVE BIRTH BY BIRTH ORDER AND FATHER'S RELIGION

Table - 16.1
LIVE BIRTHS BY BIRTH ORDER AND FATHER'S RELIGION IN RURAL AREAS DURING 2022

Birth Order	FATHER'S RELIGION				
	Hindus	Muslims	Christians	Others	Total
1	178	63	10975	8	11224
2	197	81	10114	8	10400
3	104	70	8717	6	8897
4	47	53	6521	5	6626
5	20	27	4021	3	4071
6	14	15	2268	2	2299
7	8	3	1155	2	1168
8	1	1	637	0	639
9	3	2	303	0	308
10	7	2	154	0	163
Above 10	0	1	43	0	44
Not Stated	22	9	327	1	359
Total	601	327	45235	35	46198

Source:- Data Received from Registrars of Births and Deaths

Table 16.1 shows the live births by birth order and father's religion in rural areas during 2022. It can be inferred from the above table that in the rural areas, 97.92 percent of the fathers were Christian, followed by 1.30 percent Hindus, 0.71 percent Muslims and 0.08 percent belonging to other religions.

Table - 16.2
LIVE BIRTHS BY BIRTH ORDER AND FATHER'S RELIGION IN
URBAN AREAS DURING 2022

Birth Order	FATHER'S RELIGION				
	Hindus	Muslims	Christians	Others	Total
1	2569	1005	10277	24	13875
2	1029	425	5877	15	7346
3	556	245	4380	8	5189
4	248	87	2675	4	3014
5	110	41	1593	1	1745
6	45	11	838	0	894
7	21	14	435	0	470
8	9	0	273	0	282
9	3	9	123	0	135
10	3	0	50	0	53
Above 10	1	1	35	0	37
Not Stated	245	46	1263	21	1575
Total	4839	1884	27819	73	34615

Source:- Data Received from Registrars of Births and Deaths

Table 16.2 shows the live births by birth order and father's religion in urban areas during 2022. In the urban areas, 80.37 percent of the fathers were Christians, followed by 13.98 percent Hindus, 5.44 percent Muslims and 0.21 percent belong to other religions.

20. DEATHS BY OCCUPATION AND SEX

TABLE - 17
DEATHS BY OCCUPATION AND SEX DURING 2022

Rural/ Urban	Sex	Professi onal Technic al & Related Workers	Administrativ e Executive & Managerial Workers	Clerical Worker s	Sales Worker s	Farmers, Fisherme n, Hunters, Loggers etc. and Related Workers	Productio n & Other Related Workers Transport Equipmen t Operators & Labourer s	Other Whose Occupatio n is Not Else Where Classified	Non- Worker s	Service Worke rs	Total
Rural	M	5	0	0	5	127	17	57	264	75	550
	F	0	0	0	0	68	0	19	145	15	247
	T	5	0	0	5	195	17	76	409	90	797
Urban	M	98	61	41	268	495	170	291	469	298	2191
	F	26	8	6	87	161	70	136	275	63	832
	T	124	69	47	355	670	240	431	772	361	3069
Total	M	103	61	41	273	622	187	348	733	373	2741
	F	26	8	6	87	229	70	155	420	78	1079
	T	129	69	47	360	851	257	503	1153	451	3820

Source:- Data Received from Registrars of Births and Deaths

Table 17 shows the deaths by occupation and sex during 2022. Out of the total deaths registered in the state, 30.18 percent were non-workers, while 69.82 percent were engaged in an occupation of which majority were engaged in farming related work.

21. INFANT DEATHS BY SEX AND AGE

TABLE - 18
INFANTS DEATHS BY SEX & AGE DURING 2022

Age	Rural			Urban			All areas		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
Under 1 Week	0	0	0	1	4	5	1	4	5
1. Week to Below 1 Month	0	0	0	2	0	2	2	0	2
1 Month to Below 3 Months	0	0	0	0	2	2	0	2	2
3 Months to Below 6 Months	0	0	0	1	0	1	1	0	1
6 Month to Below 12 Months	0	0	0	0	0	0	0	0	0
<i>Total :</i>	0	0	0	4	6	10	4	6	10

Source:- Data Received from Registrars of Births and Deaths

Table 18 shows the infant deaths by sex and age during 2022. A total of 10 infant deaths in urban areas were reported in 2022, out of which 60 percent were female and 40 percent male. No infant deaths were reported in rural areas during the year. Among the infant deaths, 50 percent were under 1 week old, 20 percent within 1 week to below 1 month old, 20 percent within 1 month to below 3 months old and 10 percent within 3 months to below 6 months old.

22. MATERNAL DEATHS BY AGE

TABLE - 19
MATERNAL DEATHS BY AGE DURING 2022

Age	Rural	Towns with Population 30,000 and Above	All Other Urban Areas	Total for All Urban Areas
Below 15 Years	0	0	0	0
15-19	0	0	0	0
20-24	0	0	0	0
25-29	0	0	0	0

30-34	0	0	0	0
35-39	0	0	0	0
40-44	0	0	0	0
45-49	0	0	0	0
50 and Above	0	0	0	0
Total for All Areas	0	0	0	0

Source:- Data Received from Registrars of Births and Deaths

Table 19 shows the maternal deaths by age during 2022. No maternal deaths were reported during the year.

23. TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS

TABLE - 20.1

TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS IN RURAL DURING 2022

Sl. No	District	NUMBER OF EVENTS REGISTERED												Number of Events Registered for Previous Calender Year			
		Live Births						Deaths									
		Delayed Registration						Delayed Registration									
		Within Time Limit		Within 30 Days		After 30 days but Within 1 Year		Within Time Limit		Within 30 Days		After 30 Days but Within 1 Year		Live Births		Deaths	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	KOHIMA	13	5	0	0	34	47	32	0	1	0	37	0	1198	1410	61	55
2	PHEK	27	17	12	8	74	74	13	11	2	1	10	8	1162	1156	47	10
3	MOKOK-CHUNG	10	3	3	4	38	6	26	14	2	3	18	12	622	715	18	12
4	WOKHA	8	8	8	3	15	13	12	1	4	0	1	0	497	484	5	3
5	ZUNHEBOTO	4	4	2	2	29	17	19	3	0	0	12	8	2025	2202	34	13
6	TUENSANG	64	46	15	19	282	268	12	7	3	4	16	6	5159	4285	14	18
7	MON	182	194	58	47	264	248	15	10	1	1	2	1	7400	7022	5	2

8	DIMAPUR	54	54	11	10	207	172	10	4	2	0	11	5	1889	1913	36	10
9	PEREN	22	31	13	10	84	63	3	5	1	0	10	1	788	832	15	8
10	LONGLENG	9	16	0	4	11	18	4	2	1	0	3	1	665	635	9	3
11	KIPHIRE	4	2	0	3	11	7	0	0	0	0	0	0	574	574	23	5
	Total Nagaland	397	380	122	110	1049	933	146	57	17	9	120	42	21979	21228	267	139

Source:- Data Received from Registrars of Births and Deaths

Table 20.1 shows the time gap in registration of live births and deaths in rural areas during 2022. A total of 2991 births were registered within the time frame of one year in rural areas, of which 25.98 percent were registered within time limit of 21 days, 7.76 percent were registered within 30 days and 66.27 percent were registered after 30 days but within 1 year.

As shown in the table above, among the 11 districts, the highest live birth registration done within the time limit is from Mon district with 12.57 percent followed by Tuensang district with 3.68 percent and the least is witnessed in Kiphire district with 0.20 percent out of the total 2991 live birth registered. Mon district recorded the highest percentage of registration within 30 days (3.51 percent) followed by Tuensang district with 1.14 percent and nil registration in Kohima district. For registration after 30 days but within one year, Tuensang district recorded the highest registration with 18.39 percent followed by Mon district with 17.12 percent and the least is registered in Kiphire district with only 0.60 percent.

A total of 391 deaths were registered within the time frame of one year, of which 51.92 percent were registered within time limit of 21 days, 6.65 percent were registered within 30 days and 41.43 percent were registered after 30 days but within 1 year. Mokokchung district registered the highest death within time limit with 10.23 percent out of the total 391 deaths registered in the year 2022 and the least was registered in Kiphire district with nil deaths . Out of the 11 districts in Nagaland, Tuensang district (1.79 percent) has the highest record for death registration which was done within 30 days and nil death registered in both Zunheboto and Kiphire districts. For registration after 30 days but within one year, Kohima has the highest percentage of death registration with 9.46 percent out of the total deaths registered within the year and nil death registered in Kiphire district.

**TABLE – 20.2
TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS IN URBAN DURING 2022**

Sl.no	District	NUMBER OF EVENTS REGISTERED												Number of Events Registered for Previous Calender Year			
		Live Births						Deaths									
		Delayed Registration						Delayed Registration									
		Within Time Limit		Within 30 Days		After 30 days but Within 1 Year		Within Time Limit		Within 30 Days		After 30 Days but Within 1 Year		Live Births		Deaths	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	Kohima	35	37	6	6	79	75	83	4	10	1	46	5	415	484	47	88
2	Phek	4	4	0	4	32	31	33	13	7	2	8	7	298	309	17	8
3	Mokokchung	17	14	3	4	53	58	21	27	11	6	23	17	465	439	104	18
4	Wokha	0	1	0	2	1	1	22	0	2	0	3	0	90	96	23	11
5	Zunheboto	1	5	1	1	36	30	18	6	3	0	37	7	903	921	59	30
6	Tuensang	25	26	11	14	55	44	19	1	13	2	29	6	834	777	34	12
7	Mon	41	35	12	13	67	70	27	12	17	1	27	6	1467	1469	53	11
8	Dimapur	350	251	258	240	433	920	480	159	68	23	428	66	10333	10120	329	243
9	Peren	24	37	7	2	15	11	4	1	4	0	1	2	241	235	1	3
10	Longleng	15	10	2	0	3	4	19	8	1	0	11	6	84	69	26	12
11	Kiphire	0	0	1	0	3	1	12	1	6	1	0	0	531	494	5	6
	<i>Total Nagaland</i>	512	420	301	286	777	1245	738	232	142	36	613	122	15661	15413	698	442

Source:- Data Received from Registrars of Births and Deaths

Table 20.2 shows the time gap in registration of live births and deaths in urban areas during 2022. A total of 3541 births were registered within the time frame of one year in urban areas, of which 26.32 percent were registered within time limit of 21 days, 16.58 percent were registered within 30 days and 57.10 percent were registered after 30 days but within 1 year.

As shown in the table above, among the 11 districts, the highest live birth registration done within the time limit is from Dimapur district with 16.97 percent followed by Mon district with 2.15 percent and the least is witnessed in Kiphire district with nil registration out of the total 3541 live birth registered. Dimapur district recorded the highest percentage of registration within 30 days (14.06 percent) followed by Tuensang And Mon district with 0.71 percent each

and 0.03 percent being the lowest registration in Kiphire district. For registration after 30 days but within one year, Dimapur district recorded the highest registration with 38.21 percent followed by Kohima district with 4.35 percent and the least is registered in Wokha district with only 0.06 percent.

A total of 1883 deaths were registered within the time frame of one year, of which 51.51 percent were registered within time limit of 21 days, 9.45 percent were registered within 30 days and 39.03 percent were registered after 30 days but within 1 year. Dimapur district registered the highest death within time limit with 33.94 percent out of the total 1883 deaths registered in the year 2022 and the least was registered in Peren district with 0.27 percent deaths registered. Out of the 11 districts in Nagaland, Dimapur district with 4.83 percent has the highest record for death registration which was done within 30 days and lowest deaths registered within 30 days was in Longleng district with 0.05 percent. For registration after 30 days but within one year, Dimapur has the highest percentage of death registration with 26.23 percent out of the total deaths registered within the year and nil death registered in Kiphire district.

TABLE-20.3
TIME GAP IN REGISTRATION OF LIVE BIRTHS AND DEATHS DURING 2022

Sl.no.	District	NUMBER OF EVENTS REGISTERED (COMBINED)												Number of Events Registered for Previous Calender Year			
		Live Births						Deaths									
		Delayed Registration						Delayed Registration						Live Births		Deaths	
		Within Time Limit		Within 30 Days		After 30 days but Within 1 Year		Within Time Limit		Within 30 Days		After 30 Days but Within 1 Year					
		M	F	M	F	M	F	M	F	M	F	M	F				
1	1. Kohima	48	42	6	6	113	122	115	4	11	1	83	5	1613	1894	108	143
2	2. Phek	31	21	12	12	106	105	46	24	9	3	18	15	1460	1465	64	18
3	3. Mokokchung	27	17	6	8	91	64	47	41	13	9	41	29	1087	1154	122	30
4	4. Wokha	8	9	8	5	16	14	34	1	6	0	4	0	587	580	28	14
5	5. Zunheboto	5	9	3	3	65	47	37	9	3	0	49	15	2928	3123	93	43
6	6. Tuensang	89	72	26	33	337	312	31	8	16	6	45	12	5993	5062	48	30
7	7. Mon	223	229	70	60	331	318	42	22	18	2	29	7	8867	8491	58	13
8	8. Dimapur	404	305	269	250	640	1092	490	163	71	23	438	71	12222	12033	365	253
9	9. Peren	46	68	20	12	99	74	7	6	5	0	11	3	1029	1067	16	11
10	10. Longleng	24	26	2	4	14	22	23	10	2	0	14	7	749	704	35	15
11	11. Kiphire	4	2	1	3	14	8	12	1	6	1	0	0	1105	1068	28	11
	Total Nagaland	909	800	423	396	1826	2178	884	289	160	45	732	164	37640	36641	965	581

Table 20.3 shows the time gap in registration of live births and deaths in both rural and urban areas of Nagaland during 2022. A total of 6532 births were registered within the time frame of one year in the state, of which 26.16 percent were registered within time limit of 21 days, 12.54 percent were registered within 30 days and 61.30 percent were registered after 30 days but within 1 year.

As shown in the table above, among the 11 districts, the highest live birth registration done within the time limit is from Dimapur district with 10.85 percent followed by Mon district with 6.92 percent and the least is witnessed in Kiphire district with 0.09 percent registration out of the total 6532 live birth registered. Dimapur district recorded the highest percentage of registration within 30 days (7.95 percent) followed by Mon district with 1.99 percent and 0.06 percent being the lowest registration in Kiphire district. For registration after 30 days but within one year, Dimapur district recorded the highest registration with 26.52 percent followed by Mon and Tuensang district with 9.94 percent each and the least is registered in Kiphire district with only 0.34 percent.

A total of 2274 deaths were registered in the state within the time frame of one year, of which 51.58 percent were registered within time limit of 21 days, 9.01 percent were registered within 30 days and 39.40 percent were registered after 30 days but within 1 year. Dimapur district registered the highest death within time limit with 28.72 percent out of the total 2274 deaths registered in the year 2022 and the least was registered in Peren and Kiphire districts with each registering 0.57 percent deaths. Out of the 11 districts in Nagaland, Dimapur district with 4.13 percent has the highest record for death registration which was done within 30 days and lowest deaths registered within 30 days was in Longleng district with 0.09 percent. For registration after 30 days but within one year, Dimapur has the highest percentage of death registration with 22.38 percent out of the total deaths registered within the year and nil death registered in Kiphire district.



Birth & Death Registration



**“Registration of Births & Deaths
is COMPULSORY under RBD Act 1969”**

*The first Identity of your child is his/her birth certificate!
Register Births and Deaths online at www.crsorgi.gov.in*

Printed at : N V Press, Kohima